

## 論文リスト

### 井上過冷金属プロジェクト（2002年12月現在）

#### I. Papers

1. Inoue, A.; Fan, C. High-strengthnanocrystalline alloys containing compound and amorphous phases. *Nanostruct. Mater.* 12, 741-749 (1999).
2. Inoue, A.; Fan, C.; Takeuchi, A. High-strength bulk nanocrystalline alloys in Zr-based system containing compound and glassy phases. *J. Non-Cryst. Solids.* 250-252, 724-728 (1999).
3. Inoue, A.; Zhang, T. Stabilization of supercooled liquid and bulk glassy alloys in ferrous and nonferrous systems. *J. Non-Cryst. Solids.* 250-252, 552-559 (1999).
4. Inoue, A.; Zhang, T. Mechanical properties of Zr-Ti-Al-Ni-Cu bulk amorphous sheets prepared by squeeze casting. *Mater. Trans., JIM.* 39, 1230-1237 (1999).
5. Inoue, A.; Itoi, T.; Koshiba, H.; Makino, A. High frequency permeability characteristics of Fe- and Co-based amorphousalloys with high B concentrations. *IEEE Trans., Magn.* 35, 3355-3357 (1999).
6. Inoue, A.; Zhang, W. New Fe-based amorphousalloys with large magnetostriction and wide supercooled liquid region beforerecrystallization. *J. Appl. Phys.* 85, 4491-4493 (1999).
7. Inoue, A.; Fan, C.; Takeuchi, A. Synthesis of high strength bulk nanocrystalline alloys containing remaining amorphous phase. *Mater. Sci. Forum.* 307, 1-8 (1999).
8. Inoue, A.; Kimura, H. High elevated-temperature strength of Al-based nanoquasicrystalline alloys. *Nanostruct. Mater.* 11, 221-231 (1999).
9. Inoue, A. Stabilization and high strain-ratesuperplasticity of metallic supercooled liquid. *Mater. Sci. Eng. A267*, 171-183(1999).
10. Inoue, A. Synthesis and properties of Ti-based bulk amorphous alloys with a supercooled liquid region. *Mater. Sci. Forum.* 312-314, 307-314 (1999).
11. Inoue, A.; Zhang, T.; Saida, J.; Matsushita, M.; Chen, M. W.; Sakurai, T. Formation of icosahedral quasicrystalline phase in Zr-Al-Ni-Cu-M (M = Ag, Pd, Au or Pt) system. *Mater. Trans., JIM.* 40, 1181-1184(1999).
12. Inoue, A.; Zhang, T.; Saida, J.; Matsushita, M.; Chen, M. W.; Sakurai, T. High strength and good ductility of bulkquasicrystalline base alloys in  $Zr_{65}Al_{7.5}Ni_{10}Cu_{17.5-x}Pd_x$  system. *Mater. Trans., JIM.* 40, 1137-1143 (1999).
13. Inoue, A.; Zhang, T.; Chen, M. W.; Sakurai, T. Mechanical properties of bulk amorphous Zr-Al-Cu-Ni-Ag alloys containingnanoscale quasicrystalline particles. *Mater. Trans., JIM.* 40, 1382-1389 (1999).
14. Imafuku, M.; Yaoita, K.; Sato, S.; Zhang, W.; Inoue, A. Effect of lanthanide element on glass-forming ability and localatomic structure of Fe-Co-(Ln)-B amorphous alloys. *Mater. Trans., JIM.* 40, 1144-1148(1999).
15. Koshiba, H.; Inoue, A.; Makino, A. Fe-basedsoft magnetic amorphous alloys with wide supercooled liquid region. *J. Appl. Phys.* 85, 5136-5138 (1999).
16. Saida, J.; Matsushita, M.; Yaoita, K.; Inoue, A. Phase transformation of  $Zr_{65}Cu_{27.5}Al_{7.5}$  metallicglass. *Mater. Trans., JIM.* 40, 1117-1122 (1999).
17. Saida, J.; Matsushita, M.; Zhang, T.; Inoue, A.; Chen, M. W.; Sakurai, T. Precipitation of icosahedral phase from a supercooled liquid region in  $Zr_{65}Cu_{7.5}Al_{7.5}Ni_{10}Ag_{10}$ metallic glass. *Appl. Phys. Lett.* 75, 3497-3499 (1999).
18. Nishiyama, N.; Inoue, A. Supercoolinginvestigation and critical cooling rate for glass formation in Pd-Cu-Ni-P alloy. *Acta Mater.* 47, 1487-1495 (1999).
19. Nishiyama, N.; Inoue, A. Glass transitionbehavior and viscous flow working of  $Pd_{40}Cu_{30}Ni_{10}P_{20}$ amorphous alloys. *Mater. Trans., JIM.* 40, 64-71 (1999).
20. Fan, C.; Takeuchi, A.; Inoue, A. Preparationand mechanical properties of Zr-based bulk nanocrystalline alloys containingcompound and amorphous phases. *Mater. Trans., JIM.* 40, 42-51 (1999).
21. Fan, C.; Inoue, A. Influence of liquidtemperature on the crystallization behavior in Zr-Al-Cu-Pd amorphous alloy. *Mater. Trans., JIM.* 40, 1178-1180 (1999).

22. Fan, C.; Inoue, A. Shear sliding-off fractureof bulk amorphous Zr-based alloys containing nanoscale compound particles. *Mater. Trans., JIM.* 40, 1376–1381 (1999).
23. Zhang, W.; Fujita, K.; Fujita, K.; Inoue, A. Synthesis of Fe–Co–Nd–B amorphous alloys with glass transition and theircrystallization-induced hard magnetic properties. *Mater. Trans., JIM.* 40, 1123–1129(1999).
24. Zhang, W.; Inoue, A. Thermal and magneticproperties of Fe–Co–Ln–B (Ln = Nd, Sm, Tb, and Dy) amorphous alloys with highmagnetostriiction. *Mater. Trans., JIM.* 40, 78–81 (1999).
25. Amiya, K.; Inoue, A. Thermal stability andmechanical properties of Mg–Y–Cu–M (M = Ag, Pd) bulk amorphous alloys. *Mater. Trans., JIM.* 41, 1460–1462 (2000).
26. Sato, S.; Matsubara, E.; Tanaka, S.; Kimura, S.; Imafuku, M.; Zhang, T.; Inoue, A. *In-situ* observation of structuralevolution of  $Zr_{60}Al_{15}Ni_{25}$  bulk metallic glassin the supercooled liquid region. *High Temp. Mater. Processes.* 19, 299–305(2000).
27. Inoue, A.; Saida, J.; Matsushita, M.; Sakurai, T. Formation of an icosahedral quasicrystalline phase in  $Zr_{65}Al_{7.5}Ni_{10}M_{17.5}$ (M = Pd, Au or Pt) alloys. *Mater. Trans., JIM.* 41, 362–365 (2000).
28. Inoue, A.; Zhang, T.; Chen, M. W. Sakurai, T.; Saida, J.; Matsushita, M. Ductile quasicrystalline alloys. *Appl. Phys.Lett.* 76, 967–969 (2000).
29. Inoue, A. Mechanical properties of Zr-basedbulk glassy alloys containing nanoscale compound particles. *Intermetallics.* 8, 455–468 (2000).
30. Inoue, A.; Koshiba, H.; Itoi, T. Ferromagnetic bulk glassy alloys wish useful engineering properties. *Mater.Sci. Forum.* 343–346, 81–90 (2000).
31. Inoue, A.; Kimura, H. High-strength aluminummalloys containing nanoquasicrystalline particles. *Mater. Sci. Eng. A.* 286, 1–10(2000).
32. Inoue, A.; Fan, C.; Saida, J.; Zhang, T. High-strength Zr-based bulk amorphous alloys containing nanocrystalline andnanoquasicrystalline particles. *Sci. Tech. Adv. Mater.* 1, 73–86 (2000).
33. Inoue, A.; Takeuchi, A.; Zhang, T. Synthesisand soft magnetic properties of Fe-based bulk amorphous alloys. *MicrostructureProperties of Mater.* 2, 335–358 (2000).
34. Inoue, A.; Zhang, T.; Chen, M. W.; Sakurai,T.; Saida, J.; Matsushita, M. Formation and properties of Zr-based bulkquasicrystalline alloys with high strength and good ductility. *J. Mater. Res.* 15, 2195–2208 (2000).
35. Inoue, A.; Zhang, T.; Saida, J.; Matsushita,M. Enhancement of strength and ductility in Zr-based bulk amorphous alloys byprecipitation of quasicrystalline phase. *Mater. Trans., JIM.* 41, 1511–1520 (2000).
36. Zhang, W.; Inoue, A. Crystallization and hardmagnetic properties of Fe–Co–Nd–Dy–B amorphous a1loys with glass transition. *J.Appl. Phys.* 87, 6122–6124 (2000).
37. Zhang, W.; Matsushita, M.; Inoue, A. Effectof Dy addition on the thermal stability and magnetic properties of Fe–Co–Nd–B amorphousalloys with supercooled liquid region. *Mater. Trans., JIM.* 41, 696–700 (2000).
38. Zhang, W.; Inoue, A. Influence of ribbon thickness on the formationand magnetic properties of melt-spunFe–Co–Nd–Dy–B metallic glasses. *J.Appl. Phys.* 89, 1509–1511 (2001).
39. Zhang, W.; Matsushita, M.; Inoue, A. Thermalstability and magnetic properties of Fe–Co–Pr–B amorphous alloys with asupercooled liquid legion. *Mater.Trans., JIM.* 41, 1482–1485 (2000).
40. Zhang, W.; Inoue, A. Formation and magneticproperties of bulk glassy Fe–Co–Nd–Dy–B alloys with high boron concentrations. *Mater. Trans., JIM.* 41, 1679–1682 (2000).
41. Nishiyama, N.; Horino, M.; Haruyama, O.;Inoue, A. Undercooled liquid-to-glass transition during continuous cooling inPd–Cu–Ni–P alloys. *Appl. Phys. Lett.* 76, 3914–3916 (2000).
42. Nishiyama, N.; Horino, M.; Inoue, A. Thermalexpansion and specific volume of  $Pd_{40}Cu_{30}Ni_{10}P_{20}$ alloy in various states. *Mater. Trans., JIM.* 41, 1432–1434 (2000).
43. Saida, J.; Matsushita, M.; Li, C.; Inoue, A. Comparative study of grain growth behavior from a supercooled liquid region of $Zr_{65}Cu_{27.5}Al_{7.5}$  and  $Zr_{65}Cu_{35}$ metallic glasses. *J. Mater. Sci.* 35, 3539–3546 (2000).
44. Saida, J.; Li, C.; Matsushita, M.; Inoue, A. Grain growth kinetics in a supercooled liquid region of  $Zr_{65}Cu_{27.5}Al_{7.5}$ and  $Zr_{65}Cu_{35}$  metallic glasses. *J. Mater. Sci.* 35, 4143–4149(2000).
45. Saida, J.; Matsushita, M.; Li, C.; Inoue, A. Formation of icosahedral quasicrystalline phase in  $Zr_{70}Ni_{10}M_{20}$ (M = Pd, Au, Pt) ternary metallic glasses. *Appl. Phys. Lett.* 76, 3558–3560(2000).
46. Saida, J.; Li, C.; Matsushita, M.; Inoue, A. Nano–icosahedral quasicrystalline phase formation from a supercooled liquidstate in Zr–Fe–Ni ternary metallic glass. *Appl. Phys. Lett.* 76, 3037–3039 (2000).
47. Saida, J.; Matsushita, M.; Li, C.; Inoue, A. Effect of Ag and Pd on the nucleation and growth of the nano–icosahedral phasein  $Zr_{65}Al_{7.5}Ni_{10}Cu_{7.5}M_{10}$ (M = Ag and Pd) metallic glasses. *Phil. Mag. Lett.* 80, 737–743 (2000).
48. Saida, J.; Matsushita, M.; Inoue, A. Precipitation of an icosahedral quasicrystal phase in  $Zr_{70}Pd_{20}Ni_{10}$ amorphous alloy. *Mater. Trans., JIM.* 41, 543–546 (2000).

49. Saida, J.; Matsushita, M.; Inoue, A. Nanoscale icosahedral quasicrystalline phase formation in a rapidly solidified Zr<sub>80</sub>Pt<sub>20</sub> binary alloy. *Appl. Phys. Lett.* 77, 73–75 (2000).
50. Saida, J.; Matsushita, M.; Inoue, A. Nucleation and grain growth kinetics of nano icosahedral quasicrystalline phase in Zr<sub>65</sub>Al<sub>7.5</sub>Ni<sub>10</sub>Cu<sub>17.5</sub>–xPdx (X = 5, 10 and 17.5) glassy alloys. *Mater. Trans., JIM.* 41, 1505–1510 (2000).
51. Saida, J.; Matsushita, M.; Inoue, A. Transformation kinetics of nanoicosahedral phase from a supercooled liquid region in Zr<sub>70</sub>Pd<sub>30</sub>binary glassy alloy. *J. Appl. Phys.* 88, 6081–6083 (2000).
52. Li, C.; Saida, J.; Kiminami, M.; Inoue, A. Dynamic crystallization process in supercooled liquid region of Cu<sub>40</sub>Ti<sub>30</sub>Ni<sub>15</sub>Zr<sub>10</sub>Sn<sub>5</sub>amorphous alloy. *J. Non-Cryst. Solids.* 261, 108–114 (2000).
53. Li, C.; Saida, J.; Inoue, A. Formation of quasicrystal in Zr<sub>70</sub>Ni<sub>10</sub>Mn<sub>20</sub>alloy during rapid solidification. *Scripta Mater.* 42, 1077–1081 (2000).
54. Li, C.; Saida, J.; Matsushita, M.; Inoue, A. Crystallization process of Zr<sub>60</sub>Ni<sub>25</sub>Al<sub>15</sub> amorphousalloy. *Mater. Lett.* 44, 80–86 (2000).
55. Li, C.; Saida, J.; Matsushita, M.; Inoue, A. Precipitation of icosahedral quasicrystalline phase in Hf<sub>65</sub>Al<sub>7.5</sub>Ni<sub>10</sub>Cu<sub>12.5</sub>Pd<sub>5</sub>metallic glass. *Appl. Phys. Lett.* 77, 528–530 (2000).
56. Li, C.; Saida, J.; Matsushita, M.; Inoue, A. Effect of Sn addition on the glass-forming ability in (Cu<sub>40</sub>Ti<sub>30</sub>Ni<sub>15</sub>Zr<sub>10</sub>)<sub>(100-x)</sub>/<sub>95</sub>Sn<sub>x</sub> (x = 0, 2, 4, 6 and 8) alloys. *Scripta Mater.* 42, 923–927 (2000).
57. Li, C.; Saida, J.; Inoue, A. Relationshipbetween the precipitation of face-centered cubic Zr<sub>2</sub>Ni phase and thestability of supercooled liquid state in Zr–Cu–Ni–Al metallic glasses. *Mater. Trans., JIM.* 41, 1521–1525 (2000).
58. Li, C.; Saida, J.; Matsushita, M.; Inoue, A. Precipitation of an icosahedral quasicrystalline phase in Hf<sub>59</sub>Ni<sub>8</sub>Cu<sub>20</sub>Al<sub>10</sub>Ti<sub>3</sub>metallic glass. *Phil. Mag. Lett.* 80, 621–626 (2000).
59. Li, C.; Inoue, A. Precipitation of nanoscale icosahedral quasicrystalline phase in amorphousHf<sub>70</sub>Cu<sub>20</sub>Pd<sub>10</sub> alloy. *Jpn. J. Appl. Phys.* 39, 1317–1319 (2000).
60. Matsushita, M.; Saida, J.; Zhang, T.; Inoue, A.; Chen, M. W.; Sakurai, T. Grain growth behavior of quasicrystals from thesupercooled liquid region of Zr<sub>65</sub>Cu<sub>7.5</sub>Al<sub>7.5</sub>Ni<sub>10</sub>Ag<sub>10</sub>metallic glass. *Phil. Mag. Lett.* 80, 2, 79–84 (2000)
61. Matsushita, M.; Saida, J.; Li, C.; Inoue, A. Formation of icosahedral quasicrystalline phase in Zr<sub>70</sub>TM<sub>10</sub>Pd<sub>20</sub>(TM = Fe, Co, or Cu) ternary glassy alloys. *J. Mater. Res.* 15, 1280–1283 (2000).
62. Fan, C.; Inoue, A. Ti-Containing Zr basedbulk amorphous/nanocrystalline composite alloys. *Mater. Trans., JIM.* 41, 1467–1470 (2000).
63. Fan, C.; Li, C.; Inoue, A. Nanocrystalcomposites in Zr–Nb–Cu–Al metallic glasses. *J. Non-Cryst. Solids.* 270, 28–33(2000).
64. Fan, C.; Li, C.; Inoue, A. Nano-scale icosahedral quasicrystals crystallized from Zr–Nb–Ni–Cu–Al metallicglasses. *Mater. Trans.* 42, 1489–1492 (2001).
65. Fan, C.; Imafuku, M.; Kurokawa, H.; Inoue, A. Influence of the liquid temperatures on nanocrystal-forming Zr-based metallicglasses. *Scripta Mater.* 44, 1993–1997 (2001).
66. Wang, L.; Li, C.; Inoue, A. Formation ofTi–Zr(Hf)–Ni–Cu amorphous alloys and quasicrystal precipitation upon annealing. *Mater. Trans.* 42, 528–531 (2001).
67. Wang, L.; Li, C.; Inoue, A. Formation of a single icosahedral quasicrystalline phase in Hf<sub>60</sub>Ni<sub>15</sub>Cu<sub>10</sub>Ti<sub>15</sub>metallic glass. *J. Alloys Compd.* 325, L7–L10 (2001).
68. Wang, L.; Li, C.; Inoue, A. Formation and mechanical properties of bulkglassy Ni<sub>57</sub>–xTi<sub>23</sub>Zr<sub>15</sub>Si<sub>5</sub>Pd<sub>x</sub>alloys. *Mater. Trans.* 42, 886–889 (2001).
69. Wang, L.; Inoue, A. Icosahedral and amorphous phases in melt-spun Ti–Zr–Ni–Cu alloys. *Mater. Trans.* 42, 2637–2640 (2001).
70. Fan, C.; Inoue, A. Formation ofnanoscale icosahedral quasicrystals and glass-forming ability in Zr–Nb–Ni–Cu–Almetallic glasses. *Scripta Mater.* 45, 115–120 (2001).
71. Zhang, W.; Matsushita, M.; Inoue, A. Hardmagnetic properties of Fe–Co–Nd–Dy–B nanocrystalline alloys containing residualamorphous phase. *J. Appl. Phys.* 89, 492–495 (2001)
72. Zhang, W.; Inoue, A. Soft magnetic propertiesof (Fe, Co)–RE–B amorphous alloys with a large supercooled liquid region. *Mater. Trans.* 42, 1142–1145 (2001).
73. Zhang, W.; Matsushita, M.; Inoue, A. Hard magneticproperties and nanocrystallized structure of Fe<sub>66.5</sub>Co<sub>10</sub>Pr<sub>3.5</sub>B<sub>20</sub> glassy alloy. *Mater. Trans.* 42, 1543–1546 (2001).
74. Zhang, W.; Matsushita, M.; Li, C.; Kimura, H.; Inoue, A. Glass-forming ability and magneticproperties of Fe<sub>67</sub>Co<sub>9.5</sub>Nd<sub>3</sub>Dy<sub>0.5</sub>B<sub>20</sub>alloy with a supercooled liquid region. *Mater. Trans.* 42, 2059–2063(2001).
75. Zhang, W.; Inoue, A. Formationand soft magnetic properties of (Fe, Co)–RE–B glassy alloy with largethickness. *Mater. Trans.* 42, 1835–1838 (2001).

76. Imafuku, M.; Sato, S.; Koshiba, H.; Matsubara, E.; Inoue, A. Crystallization behavior of amorphous  $\text{Fe}_{90-x}\text{Nb}_{10}\text{B}_x$  ( $X = 10$  and  $30$ ) alloys. *Mater. Trans., JIM.* 41, 1526–1529 (2000).
77. Imafuku, M.; Yaoita, K.; Sato, S.; Zhang, W.; Inoue, A.; Waseda, Y. Local atomic structure of Fe-Co-Ln-B ( $\text{Ln} = \text{Sm}$ ,  $\text{Tb}$  or  $\text{Dy}$ ) amorphous alloys with supercooled liquid region. *Mater. Sci. Eng. A.* 304–306, 660–664 (2001).
78. Imafuku, M.; Sato, S.; Koshiba, H.; Matsubara, E.; Inoue, A. Structural variation of Fe-Nb-B metallic glasses during crystallization process. *Scripta Mater.* 44, 2369–2372 (2001).
79. Imafuku, M.; Saida, J.; Inoue, A. Change in local atomic structure during formation of icosahedral quasicrystalline phase in  $\text{Zr}_{70}\text{Pd}_{30}$  glassy alloy. *J. Mater. Res.* 16, 3046–3049 (2001).
80. Inoue, A.; Kimura, H. Fabrications and mechanical properties of bulk amorphous, nanocrystalline, nanoquasicrystalline alloys in aluminum-based system. *J. Light Metals.* 1, 31–41 (2001).
81. Inoue, A.; Kawamura, Y.; Matsushita, M.; Hayashi, K.; Koike, J. Novel hexagonal structure and ultrahigh strength of magnesium solid solution in Mg-Zn-Y system. *J. Mater. Res.* 16, 1894–1900 (2001).
82. Inoue, A.; Zhang, W.; Zhang, T.; Kurosaka, K. High-strength Cu-based bulk glassy alloys in Cu-Zr-Ti and Cu-Hf-Ti ternary systems. *Acta Mater.* 2645–2652 (2001).
83. Inoue, A.; Zhang, W.; Zhang, T.; Kurosaka, K. Thermal and mechanical properties of Cu-based Cu-Zr-Ti bulk glassy alloys. *Mater. Trans.* 42, 1149–1151 (2001).
84. Inoue, A.; Kimura, H. M.; Zhang, T. High-strength aluminum-and zirconium-based alloys containing nanoquasicrystalline particles. *Mater. Sci. Eng.* 394–296, 168–172 (2001).
85. Inoue, A. New trend in metallic materials research. *Bull. Metals Museum.* 33, 1–7 (2001).
86. Inoue, A.; Kawamura, Y.; Kimura, H. M.; Mano, H. Nanocrystalline Al-based bulk alloys with high strength above 1000 MPa. *Mater. Sci. Forum.* 360–362, 129–136 (2001).
87. Inoue, A. Bulk amorphous and nanocrystalline alloys with high functional properties. *Mater. Sci. Eng. A.* 304–306, 1–10 (2001).
88. Inoue, A.; Zhang, T.; Ishihara, S.; Saida, J.; Matsushita, M. Preparation and mechanical properties of nanoquasicrystalline base bulk alloys. *Scripta Mater.* 44, 1615–1619 (2001).
89. Inoue, A.; Zhang, W.; Zhang, T.; Kurosaka, K. Cu-based bulk glassy alloys with good mechanical properties in Cu-Zr-Hf-Ti system. *Mater. Trans.* 42, 1805–1812 (2001).
90. Inoue, A.; Kimura, H. M. High strength Al-and Mg-based alloys with nanocrystalline or nanoquasicrystalline phase. *J. Metastable and Nanocry. Mater.* 9, 41–56 (2001).
91. Inoue, A.; Kawamura, Y.; Matsushita, M.; Hayashi, K. High strength nanocrystalline Mg-based alloys. *Mater. Sci. Forum.* 386–388, 509–518 (2001).
92. Inoue, A.; Zhang, W.; Zhang, T.; Kurosaka, K. Formation and mechanical properties of Cu-Hf-Ti bulk glassy alloys. *J. Mater. Res.* 16, 2836–2844 (2001).
93. Saida, J.; Matsushita, M.; Inoue, A. Nucleation and growth of nano icosahedral phase in  $\text{Zr}_{65}\text{Al}_{7.5}\text{Ni}_{10}\text{Cu}_{7.5}\text{M}_{10}$  ( $\text{M} = \text{Ag}$  and  $\text{Pd}$ ) glassy alloys. *J. Metastable Nanocryst. Mater.* 10, 73–78 (2001).
94. Saida, J.; Matsushita, M.; Li, C.; Inoue, A. Crystallization and grain growth behavior of  $\text{Zr}_{65}\text{Cu}_{27.5}\text{Al}_{7.5}$  metallic glass. *Mater. Sci. Eng. A.* 304–306, 338–342 (2001).
95. Saida, J.; Matsushita, M.; Li, C.; Inoue, A. Formation of icosahedral quasicrystalline phase in  $\text{Zr}_{70}\text{Pd}_{30}$  binary glassy alloy. *Phil. Mag. Lett.* 81, 39–44 (2001).
96. Saida, J.; Matsushita, M.; Li, C.; Inoue, A. Formation of nano icosahedral quasicrystalline phase in Zr-Ni-M ( $\text{M} = \text{Pd}$ ,  $\text{Au}$ ,  $\text{Pt}$ ) ternary glassy alloys. *Ferroelectronics.* 250, 285–288 (2001).
97. Saida, J.; Matsushita, M.; Inoue, A. Redistribution behavior of constitutional elements at an initial crystallization stage in the  $\text{Zr}_{65}\text{Al}_{7.5}\text{Ni}_{10}\text{Cu}_{7.5}$  glassy alloy. *J. Mater. Res.* 16, 28–31 (2001).
98. Saida, J.; Matsushita, M.; Inoue, A. Structural change from amorphous to nano icosahedral quasicrystalline phase with quenching rate in Zr-Pt binary alloy. *Mater. Trans.* 42, 1103–1108 (2001).
99. Saida, J.; Matsushita, M.; Inoue, A. Nanoicosahedral phase formation by crystallization of Zr-based ternary glassy alloys. *Scripta Mater.* 44, 1245–1249 (2001).
100. Saida, J.; Inoue, A. Icosahedral quasicrystalline phase formation in Zr-Al-Ni-Cu glassy alloys by addition of Nb, Ta and V elements. *J. Phys. Condens. Matter.* 13, L73–L78 (2001).
101. Saida, J.; Matsushita, M.; Inoue, A. Nanoicosahedral quasicrystalline phase in  $\text{Zr}_{65}\text{Al}_{7.5}\text{Ni}_{10}\text{Ag}_{17.5}$  quaternary glassy alloy. *Mater. Trans.* 42, 1493–1496 (2001).
102. Saida, J.; Matsushita, M.; Inoue, A. Transformation of nano icosahedral phase in  $\text{Zr}_{65}\text{Al}_{7.5}\text{Ni}_{10}\text{Cu}_{17.5-x}\text{Pd}_x$  ( $x = 0$  to  $4$ ) glassy alloys. *Mater. Trans.* 42, 1497–1501 (2001).
103. Saida, J.; Inoue, A. Effect of Mo addition on the formation of metastable fcc  $\text{Zr}_2\text{Ni}$  and icosahedral phases in Zr-Al-Ni-Cu glassy alloy. *Jpn. J. Appl. Phys.* 40, 769–772 (2001).
104. Saida, J.; Matsushita, M.; Inoue, A. Direct observation of icosahedral cluster in  $\text{Zr}_{70}\text{Pd}_{30}$  binary glassy alloy. *Appl. Phys. Lett.* 79, 412–414 (2001).

105. Saida, J.; Matsushita, M.; Inoue, A. Nanoicosahedral quasicrystalline phase in Zr-Pd and Zr-Pt binary alloys. *J. Appl. Phys.* 90, 4717–4724 (2001).
106. Saida, J.; Li, C.; Matsushita, M.; Inoue, A. Investigation of the stability of glassy state in the Zr- and Hf-based glassy alloys correlated with their transformation behavior. *J. Mater. Res.* 16, 3389–3401 (2001).
107. Li, C.; Inoue, A. Precipitation of nano-scale icosahedral quasicrystalline phase in amorphous Hf<sub>73</sub>Pd<sub>27</sub> alloy. *Mater. Trans.* 42, 176–178 (2001).
108. Li, C.; Saida, J.; Inoue, A. Precipitation of nano-scale icosahedral quasicrystalline phase in Hf-Al-Ni-Cu metallic glass promoted by addition of Ti. *Scripta Mater.* 44, 1257–1260 (2001).
109. Li, C.; Wang, L.; Inoue, A. Precipitation of nanoscale icosahedral quasicrystalline phase in amorphous Hf<sub>70</sub>Cu<sub>20</sub>Pt<sub>10</sub> alloy. *J. Mater. Sci. Lett.* 20, 781–783 (2001).
110. Li, C.; Inoue, A. Precipitation of icosahedral quasicrystalline phase in metallic Zr<sub>65</sub>Al<sub>7.5</sub>Ni<sub>5</sub>Cu<sub>17.5</sub>Re<sub>5</sub> glass. *Mater. Lett.* 50, 318–321 (2001).
111. Li, C.; Inoue, A. Precipitations of icosahedral quasicrystalline and crystalline approximant phases in Zr-Al-Ni-Cu-Ir metallic glasses. *Phys. Rev. B* 63, 172201 (2001).
112. Li, C.; Saida, J.; Matsushita, M.; Inoue, A. Crystallization processed from supercooled liquid of Cu<sub>40</sub>Ti<sub>30</sub>Ni<sub>15</sub>Zr<sub>10</sub>Sn<sub>5</sub> and Zr<sub>60</sub>Ni<sub>25</sub>Al<sub>15</sub> amorphous alloys. *Mater. Sci. Eng. A* 304–306, 380–384 (2001).
113. Li, C.; Wang, L.; Inoue, A. Precipitations of nanoscale icosahedral quasicrystalline phase in Hf-Cu amorphous alloy promoted by the addition of Ni. *Mater. Lett.* 51, 203–207 (2001).
114. Li, C.; Inoue, A. Primary precipitation phases in amorphous Hf<sub>65</sub>Al<sub>7.5</sub>Ni<sub>10</sub>Cu<sub>17.5</sub> and Hf<sub>65</sub>Al<sub>7.5</sub>Ni<sub>10</sub>C<sub>12.5</sub>M<sub>5</sub> (M=Pd and Pt) alloys. *Phys. Stat. Sol. (a)* 184, 291–296 (2001).
115. Li, C.; Inoue, A. Precipitation of icosahedral quasicrystalline phase in Hf<sub>69.5</sub>Al<sub>7.5</sub>Ni<sub>11</sub>Cu<sub>12</sub> metallic glass. *J. Mater. Res.* 16, 1190–1194 (2001).
116. Li, C.; Inoue, A. Effect of Zn addition on the crystallization process in Zr<sub>65</sub>Al<sub>7.5</sub>Ni<sub>10</sub>Cu<sub>17.5</sub> metallic glass. *J. Alloys Compd.* 325, 230–235 (2001).
117. Li, C.; Inoue, A. Precipitation of nano-scale icosahedral quasicrystalline phase in amorphous Hf<sub>70</sub>Ni<sub>10</sub>Pd<sub>20</sub> alloy. *J. Non-Cryst. Solids.* 289, 163–167 (2001).
118. Li, C.; Ranganathan, S.; Inoue, A. Initial crystallization processes of Hf-Cu-M (M=Pd, Pt or Ag) amorphous alloys. *Acta Mater.* 49, 1903–1908 (2001).
119. Li, C.; Inoue, A. Precipitation of nanoscale icosahedral quasicrystalline phase in Zr-Cu glassy alloy promoted by the addition of Ir. *Mater. Trans.* 42, 1485–1488 (2001).
120. Li, C.; Wang, L.; Inoue, A. Initial crystallization processes of Zr-Cu-Rh metallic glasses. *J. Phys. Condens. Matter.* 13, L803–L809 (2001).
121. Li, C.; Wang, L.; Inoue, A. Precipitation of nanoscale icosahedral quasicrystalline phase in Hf-Cu-(Rh, Ir) amorphous alloys. *Eur. Phys. J.* 16, 183–186 (2001).
122. M. Sherif El-Eskandarany; Inoue, A. Phase transformations of ball-milled Nb<sub>50</sub>Zr<sub>10</sub>Al<sub>10</sub>Ni<sub>10</sub>Cu<sub>20</sub> powders and the effect of annealing. *J. Alloys Compd.* 329, 239–252 (2001).
123. Nishiyama, N.; Horino, M.; Haruyama, O.; Inoue, A. Abrupt change in heat capacity of supercooled Pd-Cu-Ni-P melt during continuous cooling. *Mater. Sci. Eng. A* 304–306, 683–686 (2001).
124. Nishiyama, N.; Matsushita, M.; Inoue, A. Crystallization and glass forming ability of supercooled Pd-Cu-Ni-P melt. *Mater. Trans.* 42, 1068–1073 (2001).
125. Nishiyama, N.; Matsushita, M.; Inoue, A. *In-situ* observation of the early stage of crystallization in undercooled Pd-Cu-Ni-P melt. *Scripta Mater.* 44, 1261–1267 (2001).
126. Kim, J. H.; Kim, S. G.; Inoue, A. *In-situ* observation of solidification behavior in undercooled Pd-Cu-Ni-P alloy by using a confocal scanning laser microscope. *Acta Mater.* 49, 615–622 (2001).
127. Amiya, K.; Inoue, A. Preparation of bulk glassy Mg<sub>65</sub>Y<sub>10</sub>Cu<sub>15</sub>Ag<sub>5</sub>Pd<sub>5</sub> alloy of 12 mm in diameter by water quenching. *Mater. Trans.* 42, 543–545 (2001).
128. Ishihara, S.; Inoue, A. Superplastic deformation in supercooled liquid of Zr-Based bulk glassy alloys containing nano-quasicrystalline particles. *Mater. Trans.* 42, 1517–1522 (2001).
129. Sato, S.; Imafuku, M.; Matsubara, E.; Inoue, A.; Waseda, Y. In-house anomalous X-ray scattering analysis of amorphous Zr<sub>65</sub>Al<sub>15</sub>Ni<sub>25</sub> alloy. *Mater. Trans.* 42, 1977–1980 (2001).
130. Sato, S.; Imafuku, M.; Nishiyama, N.; Nishi, T.; Matsubara, E.; Waseda, Y.; Inoue, A. Development of in-house fast X-ray diffraction apparatus and its application to the supercooled liquid Pd<sub>40</sub>Ni<sub>10</sub>Cu<sub>30</sub>P<sub>20</sub> alloy. *Sci. Tech. Adv. Mater.* 3, 69–73 (2002).
131. Shindo, T.; Waseda, Y.; Inoue, A. Prediction of the glass-forming composition range in Zr-Ni-Al alloys. *Mater. Trans.* 43, 2502–2508 (2002).
132. Kitada, S.; Imafuku, M.; Saida, J.; Inoue, A. Structural study of quasicrystallization in Zr-NM (NM=Pd or Pt) metallic glasses. *J. Non-Cryst. Solids.* 312–314, 594–598 (2002).

133. Inoue, A.; Shen, B. Soft magnetic bulk glassy Fe–B–Si–Nb alloys with high saturation magnetization above 1.5 T. *Mater. Trans.* 43, 766–769 (2002).
134. Inoue, A.; Matsushita, M.; Kawamura, Y.; Amiya, K.; Hayashi, K.; Koike, J. Novel hexagonal structure of ultra-highstrength magnesium-based alloys. *Mater. Trans.* 43, 580–584 (2002).
135. Inoue, A.; Zhang, W.; Zhang, T.; Kurosaka, K. Cu-based bulk glassy alloys with high tensile strength of over 2000 MPa. *J. Non-Cryst. Solids.* 304, 200–209 (2002).
136. Inoue, A.; Zhang, W.; Zhang, T. Thermalstability and mechanical strength of bulk glassy Ni–Nb–Ti–Zr alloys. *Mater. Trans.* 43, 1952–1956 (2002).
137. Inoue, A.; Kimura, H.; Amiya, K. Developments of aluminum-and magnesium-basednanophase high-strength alloys by use of melt quenching-induced metastablephase. *Mater. Trans.* 43, 2006–2016 (2002).
138. Inoue, A.; Takeuchi, A. Recent progress in glassy alloys. *Mater. Trans.* 43, 1892–1906 (2002).
139. Inoue, A.; Shen, B. Formation and softmagnetic properties of Fe–B–Si–Zr bulk glassy alloys with high saturationmagnetization above 1.5 T. *Mater. Trans.* 43, 2350–2353 (2002).
140. Inoue, A.; Shen, B.; Ohsuna, T. Soft magneticproperties of nanocrystalline Fe–Si–B–Nb–Cu rod alloys obtained bycrystallization of cast amorphous phase. *Mater. Trans.* 43, 2337–2341 (2002).
141. Inoue, A.; Takeuchi, A. Composition, structure and glass-forming ability of bulk glassy alloys. *J. MetastableNanocrystalline Mater.* 14, 1–12 (2002).
142. Inoue, A.; Shen, B. Formation and soft magneticproperties of Co–Fe–Si–B–Nb bulk glassy alloys. *Mater. Trans.* 43, 1230–1234(2002).
143. Inoue, A.; Zhang, W. Formation, thermalstability and mechanical properties of Cu–Zr–Al bulk glassy alloys. *Mater. Trans.* 43, 2921–2925 (2002).
144. Imafuku, M.; Li, C.; Matsushita, M.; Inoue,A. Formation of  $\tau$ -phase in  $Fe_{60}Nb_{10}B_{30}$  amorphousalloy with a large supercooled liquid region. *Jpn J. Appl. Phys.* 41, 219–221(2002).
145. Imafuku, M.; Zhang, W.; Inoue, A. Localatomic structures in (Fe, Co)-Nd–Nb and Fe–Nb–B glassy alloys studied by X-raydiffraction. *Trans. Mater. Res. Soc. Jpn.* 27, 7–12 (2002).
146. Imafuku, M.; Sato, S.; Matsubara, M.; Inoue,A. Structural study of  $Fe_{90-x}Nb_{10}B_x$ (X=10, 20and 30) glassy alloys. *J. Non-Cryst. Solid.* 312–314, 589–593 (2002).
147. Saida, J.; Ishihara, S.; Kato, H.; Inoue, A.;H. S. Chen. Suppression of quasicrystallization by nonlinear viscous flow inZr–Al–Ni–Cu–Pd glassy alloy. *Appl. Phys. Lett.* 80, 4708–4710 (2002).
148. Saida, J.; Matsushita, M.; Inoue, A. Stability of supercooled liquid and transformation behavior in Zr-based glassyalloys. *Mater. Trans.* 43, 1937–1946 (2002).
149. Saida, J.; Matsushita, M.; Inoue, A. Transformation at the initial crystallization stage of Zr–Al–Ni–Cu glassyalloys with low oxygen content. *J. Non-Cryst. Solids.* 312–314, 617–621 (2002).
150. Saida, J.; Inoue, A. Icosahedralquasicrystalline phase formation in the Zr–Al–Ni–Cu glassy alloys by additionof V, Nb, Ta elements. *J. Non-Cryst. Solids.* 312–314, 502–507 (2002).
151. Saida, J.; Matsushita, M.; Inoue, A. Nanoicosahedral phase in Zr–Pd and Zr–Pt binary alloys. *J. Alloys Compd.* 342, 18–23(2002).
152. Saida, J.; Kasai, M.; Matsubara, E.; Inoue,A. Stability of glassy state in Zr-based glassy alloys correlated with nanoicosahedral phase formation. *Ann. Chim. Sci. Matér.* 27, 77–89 (2002).
153. Li, C.; Wang, L.; Inoue, A. Precipitation oficosahedral quasicrystalline phase in Zr–Cu–Rh metallic glasses: dependence ofparticle size on Rh concentration. *Eur. Phys. J. AP.* 18, 109–113 (2002).
154. Li, C.; Wang, L.; Inoue, A. Precipitation oficosahedral quasicrystalline and crystalline approximant phases in Zr–Cu–(Co, Rhor Ir) metallic glasses. *J. Non-Cryst. Solids.* 306, 175–181 (2002).
155. M. SherifEl-Eskandarany; Inoue, A. Solid-state crystalline-glassy cyclic phase transformationsof mechanically alloyed  $Cu_{33}Zr_{67}$  powders. *Metallurgical. Mater. Trans. A.* 33A, 135–143 (2002).
156. M. SherifEl-Eskandarany; Inoue, A. Thermally enhanced glass formation in multilayered  $Cu_{33}Zr_{67}$ composite particles. *Mater. Trans.* 43, 608–610 (2002).
157. M. SherifEl-Eskandarany; Inoue, A. New  $V_{45}Zr_{20}Ni_{20}Cu_{10}Al_{2.5}Pd_{2.5}$ glassy powder with wide supercooled liquid region. *Mater. Trans.* 43, 770–772(2002).
158. M. Sherif El-Eskandarany;Saida, J.; Inoue, A. Amorphization and crystallization behaviors of glassy  $Zr_{70}Pd_{30}$ alloys prepared by different techniques. *Acta Mater.* 50, 2725–2736 (2002).
159. M. SherifEl-Eskandarany; Inoue, A. Thermally enhanced and mechanically driven glass formationreactions of multilayered  $Cu_{33}Zr_{67}$  powders. *MetllurgicalMater. Trans. A.* 33A, 2145–2154 (2002).
160. M. SherifEl-Eskandarany, ; Zhang, W.; Inoue, A. Mechanically induced solid-state reactionfor synthesizing new multicomponent  $Ta_{55}Zr_{10}Ni_{10}Al_{10}Cu_{15}$ glassy alloy powders with extremely wide

- supercooled liquid region. *Mater. Trans.* 43, 1422–1425 (2002).
161. M. SherifEl-Eskandarany; Zhang, W.; Inoue, A. Mechanically induced solid-state reactionfor synthesizing of glassy Co<sub>75</sub>Ti<sub>25</sub> soft magnet alloypowders with wide supercooled liquid region. *J. Mater. Res.* 17, 2447–2456(2002).
  162. Nishiyama, N.; Inoue, A. Glass-formingability of Pd<sub>42.5</sub>Cu<sub>30</sub>Ni<sub>7.5</sub>P<sub>20</sub>alloy with a low critical cooling rate of 0.067K/s. *Appl. Phys. Lett.* 80, 568–570(2002).
  163. Nishiyama, N.; Inoue, A. Generation andannihilation of nanocrystalline nucleus in undercooled Pd–Cu–Ni–P particle. *Mater. Sci. Forum.* 386–388, 105–110 (2002).
  164. Nishiyama, N.; Kato, H.; Saida, J.; Inoue,A.; H. S. Chen. Heat of evolution and non–Newtonian viscous flow of Pd<sub>40</sub>Ni<sub>40</sub>P<sub>20</sub>glassy alloy. *Jpn. J. Appl. Phys.* 41, 741–745 (2002).
  165. Nishiyama, N.; Inoue, A. Nucleation andgrowth behavior of undercooled Pd<sub>42.5</sub>Cu<sub>30</sub>Ni<sub>7.5</sub>P<sub>20</sub>melt. *Mater. Trans.* 43, 1247–1249 (2002).
  166. Nishiyama, N.; Inoue, A. Direct comparisonbetween critical cooling rate and some quantitative parameters for evaluationof glass-forming ability in Pd–Cu–Ni–P alloy. *Mater. Trans.* 43, 1913–1917(2002).
  167. Zhang, W.; Inoue, A. Bulk nanocompositepermanent magnets produced by crystallization of (Fe, Co)–(Nd, Dy)–B bulkglassy alloy. *Appl. Phys. Lett.* 80, 1610–1612 (2002).
  168. Zhang, W.; Inoue, A. Bulk nanocompositepermanent magnets produced by crystallization of Fe<sub>66.5</sub>Co<sub>10</sub>Pr<sub>3.5</sub>B<sub>20</sub>bulk glassy alloy. *J. Appl. Phys.* 91, 8834–8836 (2002).
  169. Zhang, W.; Ishihara, S.; Inoue, A. Synthesis and mechanical properties of Cu-based Cu–Zr–Ti bulk glassyalloys containing ZrC particles. *Mater. Trans.* 43, 1767–1770 (2002).
  170. Zhang, W.; Long, Y.; Imafuku, M.; Inoue, A. Thermal stability and soft magnetic properties of (Fe, Co)–(Nd, Dy)–B glassy alloys with high boron concentrations. *Mater. Trans.* 43, 1974–1978 (2002).
  171. Zhang, W.; Inoue, A. Effects of Ti on thethermal stability and glass-formation ability of Ni–Nb glassy alloy. *Mater. Trans.* 43, 2342–2345 (2002).
  172. Amiya, K.; Inoue, A. Formation, thermal stabilityand mechanical properties of Ca-based bulk glassy alloys, *Mater. Trans.* 43, 81–84 (2002).
  173. Amiya, K.; Inoue, A. Formation and thermalstability of Ca–Mg–Ag–Cu bulk glassy alloys. *J. Mater. Res.* 43, 2578–2581 (2002).
  174. Wang, L.; Li, C.; Inoue, A. Microstructureand crystallization of metal-spun Ti–Ni–Zr–Y alloys. *J. Alloys Compd.* 339, 216–220 (2002).
  175. Wang, L.; Li, C.; Inoue, A. Formation of Zr<sub>70</sub>Ni<sub>23</sub>Ti<sub>7</sub>glassy alloy and phase transformation upon annealing. *J. Mater. Res.* 17, 693–696 (2002).
  176. Wang, L.; Ma, L.; Chen, M.; Kimura, H.M.; Inoue, A. Annealing embitterment of Al<sub>89</sub>Fe<sub>10</sub>Zr<sub>1</sub>amorphous alloys. *Mater. Sci. Eng. A.* 325, 182–185 (2002).
  177. Wang, L.; Ma, L.; Kimura, H.M.; Inoue, A. Amorphous forming ability and mechanical properties of rapidly solidified Al–Zr–LTMalloys. *Mater. Lett.* 47–52 (2002).
  178. Wang, L.; Ma, L.; Inoue, A. Formation and mechanicalproperties of Ti–Zr–Ni–Cu amorphous alloy containing icosahedral nanoscale quasicrystallinephase. *Mater. Trans.* 43, 2346–2349 (2002).
  179. Ishihara, S.; Zhang, W.; Inoue, A. Hot-pressing of Fe–Co–Nd–Dy–B glassy powders in supercooled liquid state andhard magnetic properties of the consolidated alloys. *Scripta Mater.* 47, 231–235(2002).
  180. Ma, C. L.; Nishiyama, N.; Inoue, A. Phaseequilibria and thermal stability of Pd–Cu–Ni–P alloys. *Mater. Trans.* 43, 1161–1165(2002).
  181. Ma, C. L.; Inoue, A. Bulk glassyPd–Cu–Ni–Cr–P alloys containing dispersed nanoparticles prepared by copper-moldcasting. *Mater. Trans.* 43, 1737–1740 (2002).
  182. Chen, Y.; Zhang, T. Zhang, W.; Ping, D.; Hono, K.; Inoue, A. Sakurai, T. Microstructurefeature of bulk glassy Cu<sub>60</sub>Zr<sub>30</sub>Ti<sub>10</sub> alloy inas-cast and annealed states. *Mater. Trans.* 43, 2647–2650 (2002).
  183. Inoue, A.; Zhang, W.; Zhang, T.; Kurosaka, K. New Cu-and Ni-based bulk glassy alloys with high strength of 2500 to 3000MPa. *Mater. Sci. Eng. in press.*
  184. Inoue, A.; Shen, B. New Fe-based bulk glassyalloys with high saturated magnetic flux density of 1.4 to 1.5 tesla. *Mater. Sci. Eng. A. in press.*
  185. Kasai, M.; Saida, J.; Matsushita, M.; Osuna,T.; Matsubara, E. Inoue, A. Structure and crystallization of rapidly quenchedCu–(Zr or Hf)–Ti alloys containing nanocrystalline particles. *J. Phys. Condens. Matter. in press.*
  186. Saida, J.; Inoue, A. Quasicrystals from glassdevitrification. *J. Non-Cryst. Solids. in press.*
  187. Saida, J.; Matsubara, E.; Inoue, A. Nanoicosahedral quasicrystals in Zr-based glassy alloys. *Intermetallics. in press.*
  188. M. SherifEl-Eskandarany; Inoue, A. Solid-state transformations during mechanicalalloying of Cu<sub>33</sub>Zr<sub>67</sub> powders: The role of crystalline-glass-crystallinecyclic phase transformation via

- ball-milling technique. *J. Non-Cryst. Solids.* *in press*.
189. M. SherifEl-Eskandarany; Inoue, A. Mechanicallydriven solid state amorphization reaction of ball-milled Nb<sub>50</sub>Zr<sub>10</sub>Al<sub>10</sub>Ni<sub>10</sub>Cu<sub>20</sub>powders and the effect of annealing. *J. Non-Cryst. Solids.* *in press*.
  190. M. SherifEl-Eskandarany; Zhang, W.; Inoue, A. Mechanically induced crystalline-glassyphase transformations of mechanically alloyed Ta<sub>55</sub>Zr<sub>10</sub>Al<sub>10</sub>Ni<sub>10</sub>Cu<sub>15</sub>multicomponent alloy powders. *J. AlloysCompd.* *in press*.
  191. M. SherifEl-Eskandarany; Zhang, W.; Inoue, A. Glass forming ability and magnetic propertiesof mechanically solid-state reacted Co<sub>100-x</sub>Tix alloypowders. *J. Alloys Compd.* *in press*.
  192. Nishiyama, N.; Inoue, A.; Jiang, J. Z. Elasticproperties of Pd<sub>40</sub>Cu<sub>30</sub>Ni<sub>10</sub>P<sub>20</sub> bulkglass in supercooled liquid region. *Appl. Phys. Lett.* *in press*.
  193. Fan, C.; Li, C.; Inoue, A. Formation, structure and mechanical behavior of bulk nanocrystal/amorphouscomposites. *Transworld Res. Network.* *in press*.
  194. Zhang, W.; Inoue,A. Formation and mechanical properties of Ni-based Ni-Nb-Ti-Hf bulk glassyalloys. *Scripta. Mater.* *in press*.
  195. Shen, B.; Inoue, A.; Kimura, H. Omori, M.;Okubo, A. Bulk glassy Fe<sub>65</sub>Co<sub>10</sub>Ga<sub>5</sub>P<sub>12</sub>C<sub>4</sub>B<sub>4</sub>soft-magnetic cores produced by spark-plasma sintering method. *Mater. Sci.Eng., A.* *in press*.
  196. Shen, B.; Inoue, A.Thermalstability and soft magnetic properties of Fe-Co-Ga-P-C-B alloys with high glass-formingability. *J. Jpn. Soc. Powder Powder Metall.* *in press*.
  197. Ishihara, S.; Zhang, W.; Inoue, A. Synthesisof hard magnet materials by uniaxial hot-pressing of Fe-Co-Nd-Dy-B glassypowders. 粉体および粉末冶金. *in press*.
  198. Ishihara, S.; Zhang, W. Kimura, H.; Omori,M.; Inoue, A. Consolidation of Fe-Co-Nd-Dy-B glassy powders by spark-plasmasintering and magnetic properties of the consolidated alloys. *Mater. Trans.* *in press*.
  199. Kasai, M.; Nakayama, M.; Saida, J.; Uematsu,K.; Zhang, T.; Matsubara, E.; Inoue, A. Nanocrystallization behaviour in Cu<sub>60</sub>Zr<sub>30</sub>Ti<sub>10</sub>glassy alloys. *submitted*.
  200. M. SherifEl-Eskandarany; Saida, J.; Inoue, A. Mechanically-induced solid-statedevitrifications of Zr<sub>70</sub>Pd<sub>20</sub>Ni<sub>10</sub> glassy alloypowders. *submitted*.
  201. M. SherifEl-Eskandarany; Saida, J.; Inoue, A. Mechanically-induced devitrifications ofball-milled Zr<sub>70</sub>Pd<sub>20</sub>Ni<sub>10</sub> glassy alloy powders. *submitted*.
  202. M. SherifEl-Eskandarany; Saida, J.; Inoue, A. Structural and calorimetric evolutions ofmechanically-induced solid-state devitrified Zr<sub>60</sub>Ni<sub>25</sub>Al<sub>15</sub>glassy alloy powder. *submitted*.
  203. Nishiyama, N.; Inoue, A. Stability andthermodynamics of primary precipitate in supercooled Pd-Cu-Ni-P melt. *submitted*.
  204. Nishiyama, N.; Inoue, A. Stability andnucleation behavior of glass-forming Pd-Cu-Ni-P alloy with a critical coolingrate of 0.067 K/s. *submitted*.
  205. Ma, C.L.; Inoue, A. Deformation and fracture behavorsof Pd-Cu-Ni-P glassy alloys. *submitted*.
  206. Ma, C.L.; Inoue, A. Microstructure and mechanicalproperties of Cr, Mo, Fe, Ta modified Pd-Ni-Cu-P glassy alloys prepared bycopper-mold casting. *submitted*.
  207. Shindo, T.; Waseda, Y.; Inoue, A. Predictionof critical compositions for bulk glass formation in La-based, Cu-based andZr-based ternary alloys. *submitted*.
  208. Wang, L.; Ma, L.; Inoue, A. Formations, amorphousand quasicrystal phases in melt-spun Ti-Zr-Ni-Cu alloys. *submitted*.
  209. Wang, L.; Ma, C.; Ma, L.; Inoue, A. Formations,amorphous and quasicrystal phases in As-Cast Ti-Zr-Ni-Cu alloys. *submitted*.
  210. Inoue, A.; Zhang, W. Formation and mechanicalproperties of Cu-Hf-Al bulk glassy alloys with a large supercooled liquid regionof over 90 K. *submitted*.
  211. Shen, B.; Inoue, A. Effect of Ga addition onthe glass-forming ability of Fe-based bulk glassy alloy. *submitted*.
  212. Saida, J.; M.Sherif El-Eskandarany; Inoue, A. Change in primary phase from icosahedralquasicrystal to fcc Zr<sub>2</sub>Ni by mechanical disordering inZr-Al-Ni-Cu-Pd glassy alloy. *submitted*.

## II. Meetings

213. Inoue, A.; Cang, F. High-strengthnanocrystalline alloys containing compound and amorphous phases. FourthInternational Conference on Nano-structured Materials, Stockholm, Sweden, June 14, 1998.
214. Inoue, A.; Cang, F.; Takeuchi, A.High-strength bulk nanocrystalline alloys in Zr-based system containingcompound and glassy phases. 10th international Conference on Liquid andAmorphous Metals, University of Dortmund, Germany, Aug. 30, 1998.

215. Inoue, A.; Zhang, T. Stabilization of supercooled liquid and bulk glassy alloys in ferrous and nonferrous systems. 10th International Conference on Liquid and Amorphous Metals, University of Dortmund, Germany, Aug. 30, 1998.
216. Inoue, A.; Zhang, W. New Fe-based amorphous with large magnetostriction and wide supercooled liquid before crystallization. 43rd Annual Conference on Magnetism & Magnetic Materials, Miami, Florida, USA, Nov. 1998.
217. Inoue, A.; Zhang, T. Formation and properties Ti-based bulk amorphous alloys with wide supercooled liquid region. ISMANAM' 98, Sydney, Australia, Dec. 1998.
218. Inoue, A.; Fan, C. High-strength bulk nanostructure alloys containing compound and amorphous phases. 1998 MRS Fall Meeting, Nov. 30, 1998.
219. Inoue, A.; Itoi, T.; Koshiba, H.; Makino, A. High frequency permeability characteristics of Fe- and Co-based amorphous alloys with high B concentrations. International Magnetics Conference 1999, Kyongju, Korea, May 1999.
220. 井上明久. バルク金属ガラスの研究開発の進展と応用. 仏グルノーブル国立材料研究所, April 4, 1999.
221. 井上明久. Fe-M-B (M = Zr, Hf, Nb) リボン材「NZNOPERM」およびFe-M-O (M = Hf, Zr, Rare Earth) フィルム状のナノ結晶軟磁性特性について. 米国サンフランシスコ, MRS国際会議, April 3, 1999.
222. 井上明久. バルクアモルファス金属について. Recent Activities on Advanced Materials, エジプトアシューート大学, April 1999.
223. Inoue, A. Bulk amorphous alloys containing nanoscale compound particles. Advanced Workshop on Nano-structured Materials, Indore, India, Aug. 20, 1999.
224. Inoue, A. Bulk amorphous alloys and nanocrystalline alloys with high functional properties. International Conference RQ10, Bangalore, India, Aug. 23-27, 1999.
225. Inoue, A. Fe-based bulk amorphous alloys preparation and characteristics. ISMANAN-99, Dresden, Germany, Aug. 30-Sep. 3, 1999.
226. Inoue, A. Nanoquasicrystalline Al-based alloys with high strength. IUMRS-ICAM' 99, Beijing, China, July 13-18, 1999.
227. Inoue, A. High-strength inter-metallic compounds and bulk amorphous alloys containing nanoquasicrystalline particles. IUMRS-ICAM' 99, Beijing, China, July 13-18, 1999.
228. Inoue, A. Production and application of Zr-based bulk nanocrystalline amorphous alloys. International Conference on Solid-Solid Phase Transformations' 99, Kyoto Park Hotel, May 1999.
229. Inoue, A. High-strength Zr-based bulk amorphous alloys containing nanocrystalline and nanoquasicrystalline particles. TMS Fall Meeting' 99, Cincinnati, Ohio, Oct. 31-Nov. 4, 1999.
230. Inoue, A. Bulk glassy alloys: Development and application. ナノ結晶構造及びアモルファス材料検討会. 中国台北 April 27, 2000.
231. Inoue, A. Nanocrystalline Al-based bulk alloys with high strength of 1100 to 1400 MPa prepared by warm consolidation of atomized amorphous powers. ISMANAM 2000, Oxford, England, July 7, 2000.
232. Inoue, A. Synthesis and functional properties of Fe-based bulk glassy alloys. Singapore, 1st International Conference Bulk Metallic Glass. Sep. 23, 2000.
233. 今福宗行; 矢尾板憲一; 佐藤成男; 張 偉; 井上明久; 早稲田嘉夫. 過冷状態を発現するFe-Co-RE-B (RE = Sm, Tb or Dy) 合金の局所構造. 第10回日本MRS学術シンポジウム, かながわサイエンスパーク, Dec. 1998.
234. 今福宗行; 佐藤成男; 矢尾板憲一; 張 偉; 井上明久. Fe<sub>67</sub>Co<sub>10</sub>M<sub>3</sub>B<sub>20</sub> (M = Sm, Tb or Dy) 系ガラス合金の局所構造解析. 日本国金属学会春季大会, 東京, March 1999.
235. Imafuku, M.; Yaoita, K.; Sato, S.; Zhang, W.; Inoue, A.; Waseda, Y. Local atomic structure of Fe-Co-Ln-B (Ln = Sm, Tb or Dy) amorphous alloys with supercooled liquid region. International Conference RQ10, Bangalore, India, Aug. 23, 1999.
236. 今福宗行; 佐藤成男; 小柴寿人; 張 偉; 松原英一郎; 中村貴宏; 早稲田嘉夫; 井上明久. Fe-Nb-B および Fe-Co-Nd-B 系金属ガラスの構造解析と局所構造のボロン量依存性について. 日本国金属学会1999秋期大会, 金沢(金沢工業大学), Nov. 20, 1999.
237. Saida, J.; Matsushita, M.; Li, C.; Inoue, A. Crystallization and grain growth behavior of Zr<sub>65</sub>Cu<sub>27.5</sub>Al<sub>7.5</sub> metallic glass. International Conference RQ10, Bangalore, India, Aug. 23, 1999.
238. 才田淳治; 松下光英; 張 涛; 井上明久; 陳 明偉; 桜井利夫. Zr-Al-Ni-Cu-Ag 金属ガラスのガラス遷移状態からの準結晶相の析出. 日本国金属学会1999秋期大会, 金沢(金沢工業大学), Nov. 20, 1999.
239. 才田淳治; 松下光英; 李 春飛; 井上明久. Zr-Al-Ni-TM (TM: 遷移金属) 系金属ガラスにおける準結晶相の生成. 日本国金属学会春季大会, 横浜(横浜国立大学), March 2000.
240. Sato, S.; Matsubara, E.; Waseda, Y.; Zhang, T.; Inoue, A. Fast X-ray measurement with image plates in supercooled Zr-Al-Ni liquid. Materials Research Society 1998 Fall Meeting, Boston, USA, Nov. 1998.
241. Sato, S.; Matsubara, E.; Tanaka, S.; Imafuku, M.; Waseda, Y.; Zhang, W.; Inoue, A. Structural evolution of Zr<sub>60</sub>Al<sub>15</sub>Ni<sub>25</sub> bulk metallic glass in supercooled liquid region. PTM' 99, Kyoto, May 1999.
242. 佐藤成男; 松原英一郎; 今福宗行; 小柴寿人; 早稲田嘉夫; 井上明久. X線異常散乱法とEXAFS法の組み合わせによるFe<sub>70</sub>Nb<sub>10</sub>B<sub>20</sub>とFe<sub>70</sub>Zr<sub>4</sub>Nb<sub>6</sub>B<sub>20</sub>金属ガラスの構造解析. 日本国金属学会1999秋期大会, 金沢(金沢工業大学), Nov. 20, 1999.

243. Nishiyama, N; Inoue, A. Metastable solidification-typical example for stabilization of undercooled liquid. Oxford Kobe Seminars, Sep. 21-24, 1999.
244. 西山信行; 井上明久. 高純度リンを使用したPd-Cu-Ni-P合金の過冷挙動とガラス化臨界冷却速度. 日本金属学会1999秋期大会, 金沢 (金沢工業大学), Nov. 20, 1999.
245. Fan, C.; Inoue, A. High strength bulk nanocrystalline Zr-based alloys containing remaining amorphous phase. The Third KIST-KINKEN joint seminar, IMR, Aug. 1998.
246. 範 滉; 井上明久. Zr基ナノ結晶分散バルケアモルファス合金の変形挙動および機械的性質. 日本金属学会春季大会, 東京, March 1999.
247. Fan, C.; Inoue, A. Nanocrystallization from supercooled liquid of Zr-based bulk gassy alloys. International Conference on Solid-Solid Phase Transformations '99 Kyoto Park Hotel, May 24-28, 1999.
248. 範 滉; 李 春飛; 井上明久. ナノ結晶Zr-Cu-Pd-Alガラス合金の熱的安定性に及ぼす液体状態の影響. 日本金属学会, 1999秋期大会, 金沢 (金沢工業大学), Sep. 3, 1999.
249. 松下光英; 才田淳治; 井上明久; 陳 明偉; 桜井利夫. Zr-Al-Ni-Cu-Ag 金属ガラスにおける準結晶相の成長挙動. 日本金属学会1999秋期大会, 金沢 (金沢工業大学), Nov. 20, 1999.
250. 李 春飛; 才田淳治; 木南昌也; 井上明久. 過冷却液体域におけるCu40Ti30Ni15Zr10Sn5金属ガラスの結晶化過程. 日本金属学会春季大会, 東京, March 1999.
251. 李 春飛; 才田淳治; 松下光英; 井上明久. (Cu40Ti30Ni15Zr10)100-xSn<sub>x</sub>合金のガラス形成能におよぼすSnの添加効果. 日本金属学会1999秋期大会, 金沢 (金沢工業大学), 1999.
252. Li, C.; Saida, J.; Matsushita, M.; Inoue, A. Crystallization processes from supercooled liquid of Cu40Ti30Ni15Zr10Sn5 and Zr60Ni25Al15 amorphous alloys. International Conference RQ10, Bangalore, India, Aug. 1999.
253. 金 星圭; 井上明久. Pd-Ni-S系アモルファス合金の生成とガラス遷移挙動. 日本金属学会, 愛媛大学, Sep. 1998.
254. 才田淳治; 西山信行; 井上明久. 変調示差走査熱量計によるPd基非晶質合金のガラス遷移挙動の解析. 日本金属学会春季大会, 東京, March 1999.
255. 才田淳治; 李 春飛; 矢尾板憲一; 井上明久. Zr-Cu-Al金属ガラスの結晶粒成長挙動. 日本金属学会春季大会, 東京, March 1999.
256. 小柴寿人; 井上明久; 牧野彰宏. Fe-M-B系金属ガラスの熱的安定性と磁気特性. 日本金属学会, 愛媛大学, Sep. 1998.
257. Koshiba, H.; Inoue, A.; Makino, A. Fe-based soft magnetic amorphous alloys with wide supercooled liquid region. The 43rd Annual Conference on Magnetic & Magnetic Materials, Miami USA, Nov. 1998.
258. 小柴寿人; 井上明久; 牧野彰宏. Fe-M-B系金属ガラス合金の作製と磁気特性. 日本金属学会春季大会, 東京, March 1999.
259. 西山信行; 井上明久. 古典的核生成理論によるPd-Cu-Ni-P合金のガラス形成能の速度論的考察. 日本金属学会1998年春季大会, 東京工学院大学, March 1998.
260. 西山信行; 井上明久. Pd-Cu-Ni-P金属ガラス核生成頻度および結晶成長速度の実測. 日本金属学会, 愛媛大学, Sep. 1998.
261. Nishiyama, N.; Inoue, A. Experimental measurements of nucleation frequency and crystal growth rate in Pd-Cu-Ni-P metallic glass. MRS 1998 Fall Meeting Boston, MA, USA, Dec. 1998.
262. 西山信行; 才田淳治; 松下光英; 井上明久. Pd-Cu-Ni-P金属ガラスの結晶化組織と結晶成長速度の実測. 日本金属学会春季大会, 東京, March 1999.
263. 西山信行; 堀野まさき; 春山修身; 井上明久. 連続冷却に伴なうPd40Cu30Ni10P20融体の比熱の不連続変化. 日本金属学会春季大会, 東京, March 1999.
264. Nishiyama, N. Abrupt change in supercooled Pd40Cu30Ni10P20 melt during continuous cooling. International Conference RQ10, Bangalore, India, Aug. 23, 1999.
265. Nishiyama, N. Tracer self-diffusion in Pd-based metallic glass. International Conference RQ10, Bangalore, India, Aug. 23, 1999.
266. 張 偉; 井上明久. Fe-Co-Nd-B系金属ガラスの熱的安定性. 結晶化組織および磁気的性質. 日本金属学会, 愛媛大学, Sep. 1998.
267. 張 偉; 井上明久. Fe-Co-Nd-B系金属ガラスの熱的安定性と磁気特性に及ぼすDyの添加効果. 日本金属学会春季大会, 東京, March 1999.
268. 張 偉; 松下光英; 井上明久. Fe-Co-Nd-Dy-B 金属ガラスの生成および磁気特性の試料厚さ依存性. 日本金属学会1999秋期大会, 金沢 (金沢工業大学), Nov. 20, 1999.
269. Zhang, W.; Inoue, A. Crystallization and hard magnetic properties of Fe-Co-Nd-Dy-B amorphous alloys with glass transition. 44th Annual Conference on Magnetist & Magnetic Materials, San Jose, California, USA, Nov. 15, 1999.
270. 範 滉; 井上明久. Zr基ナノ結晶分散バルケアモルファス合金の生成と機械的性質に及ぼすTiの添加効果. 日本金属学会, 愛媛大学, Sep. 1998.
271. 堀野まさき; 西山信行; 木村久道; 井上明久. Zr基およびPd基金属ガラスの等温熱処理に伴なう物理的性質の変化. 日本金属学会, 愛媛大学, Sep. 1998.
272. 堀野まさき; 西山信行; 横山嘉彦; 井上明久. 液相, ガラス相および結晶化相におけるPd-Cu-Ni-P系金属ガラスの比容積. 日本金属学会春季大会, 東京, March 1999.

273. 堀野まき；西山信行；井上明久. 超音波パルス法によるPd-Cu-Ni-P金属ガラスの弾性挙動の温度依存性. 日本国金属学会1999秋期大会, 金沢 (金沢工業大学), Nov. 20, 1999.
274. 木南昌也；張 涛；西山信行；井上明久. Zr-Ti-N-Cu系金属ガラス形成能と凝固組織. 日本国金属学会1998年春期大会, 東京工学院大学, March1998.
275. 木南昌也；才田淳治；張 涛；井上明久. 広い過冷却液体域を持つTi系金属ガラスの作製. 日本国金属学会, 愛媛大学, Sep. 1998.
276. 矢尾板憲一；今福宗行；佐藤成男；才田淳治；井上明久；早稻田嘉男. Structural study on crystallizationprocess of Zr-Cu-Al metallic glass by use of small-angle X-ray scattering. 第10回日本MRS学術シンポジウム, かながわサイエンスパーク, Dec. 1998.
277. 矢尾板憲一；才田淳治；井上明久. X線小角散乱法によるZr-Cu-Al 系金属ガラスのアニーリング過程の研究. 日本国金属学会1999春期大会, 東京工業大学, March, 1999.
278. 松下光英；才田淳治；井上明久. Zr-Al-Ni-貴金属系金属ガラスの準結晶相析出初期過程の解析. 日本国金属学会春期大会, 横浜 (横浜国立大学), March29-31, 2000.
279. 金 志薰；金 星圭；井上明久. レーザー顕微鏡を用いたPd-Cu-Ni-P合金の過冷凝固挙動の観察及び解析. 日本国金属学会1999秋期大会, 金沢 (金沢工業大学), Nov. 20-22, 1999.
280. 金 志薰；西山信行；才田淳治；金 星圭. レーザー顕微鏡を用いた連続冷却中のPd-Cu-Ni-P合金の過冷凝固挙動の観察. 日本国金属学会春期大会, 横浜 (横浜国立大学), March29-31, 2000.
281. 才田淳治；松下光英；李 春飛；井上明久. Zr-Al-Ni-TM (TM:遷移金属)系金属ガラスにおける準結晶相の生成. 日本国金属学会春期大会, 横浜 (横浜国立大学), March29-31, 2000.
282. 李 春飛；才田淳治；井上明久. Zr-Ni-Cu-Alアモルファス合金過冷却液体安定性に及ぼすAl, Cuの添加効果. 日本国金属学会春期大会, 横浜 (横浜国立大学), March29-31, 2000.
283. 西山信行；松下光英；井上明久. 高純度Pd-Cu-Ni-P過冷液体の核生成挙動と結晶成長速度. 日本国金属学会春期大会, 横浜 (横浜国立大学), March29-31, 2000.
284. 網谷健児；井上明久. FeMPCB (M = Mo, Cr, Al, Ga)金属ガラスバルク材の作製. 日本国金属学会春期大会, 横浜 (横浜国立大学), March29-31, 2000.
285. 今福宗行；佐藤成男；松下光英；小柴寿人；松原英一郎；井上明久. Fe-Nb-B系金属ガラスの構造解析-初期結晶化過程-. 日本国金属学会春期大会, 横浜 (横浜国立大学), March29-31, 2000.
286. 黒川浩史；今福宗行；範 滉；井上明久. Zr60Al10Cu20Pd10金属ガラスの構造不均一性と熱的安定性. 日本国金属学会春期大会, 横浜 (横浜国立大学), March29-31, 2000.
287. 張 偉；松下光英；井上明久. Fe-Co-Pr-B系金属ガラスの熱的安定性および磁気特性. 日本国金属学会春期大会, 横浜 (横浜国立大学), March29-31, 2000.
288. 佐藤成男；今福宗行；松原英一郎；井上明久. 白色X線源を用いた新しいX線回折法の開発. 日本国金属学会春期大会, 横浜 (横浜国立大学), March29-31, 2000.
289. 才田淳治；松下光英；井上明久. Zr基金属ガラスからの準結晶相の生成. 第8回準結晶研究会, 名古屋大学, May 31-June 2, 2000.
290. 松下光英；才田淳治；李春飛；井上明久. Zr基金属ガラスからのナノ準結晶析出過程の解析. 日本電子顕微鏡学会 第56回学術講演会, 東京 (北とぴあ), March29-31, 2000.
291. 西山信行；松下光英；井上明久. Pd40Cu30Ni10P20過冷液体の結晶化挙動その場観察. 日本電子顕微鏡学会 第56回学術講演会, 東京 (北とぴあ), March 29-31, 2000.
292. 李 春飛；才田淳治；松下光英；井上明久. Zr-Ni-Cu-Al金属ガラス結晶化過程の透過型電子顕微鏡観察. 日本電子顕微鏡学会 第56回学術講演会, 東京 (北とぴあ), March 29-31, 2000.
293. Saida, J. ; Matsushita, M. ; Li, C. ; Inoue, A. Formation of nano icosahedral quasicrystalline phase in Zr-Ni-M (M = Pd, Au, Pt) ternary glassy alloys. Aperiodic 2000, Nijmegen (Netherlands), July 4-8, 2000.
294. Saida, J. ; Matsushita, M. ; Inoue, A. Nucleation and growth of nano icosahedral phase in Zr65Al7.5Ni10Cu7.5M10 (M =Ag and Pd) glassy alloys. ISMANAM2000, Oxford (UK), July 9-14, 2000.
295. Saida, J. ; Matsushita, M. ; Inoue, A. Nanoicosahedral quasicrystalline phase formation by crystallization of Zr-basedternary glassy alloys. 5th International Conference on Nanostructured Materials(NANO2000). Aug. 21-25, 2000.
296. 才田淳治；松下光英；井上明久. Zr-Pt2元金属ガラスにおける冷却速度制御によるナノ準結晶の析出. 日本国金属学会秋期大会, 名古屋 (名古屋大学), Oct. 1-3, 2000.
297. Imafuku, M; Sato, S. ; Koshiba, H. ; Matsubara,E. ; Inoue, A. Structural variation of Fe-Nb-B metallic glasses during crystallizationprocess. 5th International Conference on Nanostructured Materials (NANO2000). Aug. 21-25, 2000.
298. 範 滉；李 春飛；井上明久. Zr基ガラス合金のナノ結晶化及び準結晶化挙動に及ぼすNiの影響. 日本国金属学会秋期大会, 名古屋 (名古屋大学), Oct. 1-3, 2000.
299. Nishiyama, N. ; Matsushita, M. ; Inoue, A. In-situobservation of the early stage of crystallization in undercooled Pd-Cu-Ni-Pmelt. 5th International Conference on Nanostructured Materials (NANO2000). Aug. 21-25, 2000.
300. 西山信行；松下光英；井上明久. Pd40Cu30Ni10P20過冷液体の結晶化挙動その場観察. 日本国金属学会秋期大会, 名古屋 (名古屋大学), Oct. 1-3, 2000.
301. 石原 知；井上明久. ナノ準結晶粒子分散Zr-Al-Ni-Cu-Agバルク金属ガラスの高温変形. 日本国金属学会秋期大会, 名古屋 (名古屋大学), Oct. 1-3, 2000.

302. 松下光英；才田淳治；井上明久. Zr-Pd 2元金属ガラスの局所構造とナノ準結晶の生成. 日本金属学会秋期大会, 名古屋 (名古屋大学), Oct. 1-3, 2000.
303. 王立民；李春飛；井上明久. Ti基金属ガラスの形成と機械的性質. 日本金属学会秋期大会, 名古屋 (名古屋大学), Oct. 1-3, 2000.
304. Fan, C.; Imafuku, M.; Kurokawa, H.; Li, C.; Inoue, A. Influence of the liquid temperatures on nanocrystal-forming Zr-basedmetallic glasses. 5th International Conference on Nanostructured Materials (NANO2000). Aug. 21-25, 2000.
305. 黒川浩史；範滄；井上明久. Zr<sub>60</sub>Al<sub>10</sub>Cu<sub>25</sub>Pt<sub>5</sub>金属ガラスの構造不均一性と熱的安定性. 日本金属学会秋期大会, 名古屋 (名古屋大学), Oct. 1-3, 2000.
306. 今福宗行；佐藤成男；松原英一郎；井上明久. X線異常散乱法によるFeNbB系金属ガラスの構造解析. 日本金属学会秋期大会, 名古屋 (名古屋大学), Oct. 1-3, 2000.
307. 張偉；李春飛；井上明久. 高B濃度Fe-Co-RE-B系バルク金属ガラスの熱的安定性および磁気特性. 日本金属学会秋期大会, 名古屋 (名古屋大学), Oct. 1-3, 2000.
308. Zhang, W.; Matsushita, M.; Inoue, A. Glass-forming ability, crystallized structure and magnetic properties of Fe-Co-Nd-Dy-B alloys with supercooled liquid region. 5th International Conference on Nanostructured Materials (NANO2000). Aug. 21-25, 2000.
309. 綱谷健児；井上明久. Mg-Y-Cu (M = Ag, Pd) 金属ガラスバルク材の熱的安定性および機械的性質. 日本金属学会秋期大会, 名古屋 (名古屋大学), Oct. 1-3, 2000.
310. Saida, J.; Matsushita, M.; Inoue, A. Formation of nano icosahedral quasicrystalline phase in Zr-based binary andternary glassy alloys. MRS 2000 Fall Meeting, Boston (USA), Nov. 27-Dec. 1, 2000.
311. Imafuku, M.; Sato, S.; Matsubara, E.; Inoue, A. Structural study of Fe-based glassy alloys with a large supercooled liquidregion. MRS 2000 Fall Meeting, Boston (USA), Nov. 27-Dec. 1, 2000.
312. Inoue, A.; Zhang, T.; Mizushima, T. Thermalstability and magnetic properties of Fe-based bulk glassy alloys prepared by apowder consolidation method. MRS 2000 Fall Meeting, Boston (USA), Nov. 27-Dec. 1, 2000.
313. 李春飛；井上明久. Hf-Al-Ni-Cu-M (M=Pd, Ti)ガラス合金の20面体準結晶析出. 日本金属学会秋期大会, 名古屋 (名古屋大学), Oct. 1-3, 2000.
314. Li, C.; Saida, J.; Inoue, A. Precipitation ofnano-scale icosahedral quasicrystalline phase in Hf-Al-Ni-Cu-M (M=Pd and Ti)metallic glasses. 5th International Conference on Nanostructured Materials (NANO2000). Aug. 21-25, 2000.
315. Nishiyama, N.; Matsushita, M.; Inoue, A. Glass-forming ability and crystallization of high purity Pd-Cu-Ni-P alloy. MRS2000 Fall Meeting, Boston (USA), Nov. 27-Dec. 1, 2000.
316. 張偉；井上明久. (Fe, Co)-RE-B系ガラス合金の厚板材の作製と磁気的性質. 日本金属学会2001春季大会, 千葉工業大学, March. 28-30, 2001.
317. 王立民；範滄；井上明久. Ni-Pd-Ti-Zr系バルク金属ガラスの作製と機械的性質. 日本金属学会2001春季大会, 千葉工業大学, March 28-30, 2001.
318. 綱谷健児；井上明久. 水焼入れ法によるMg-Y-Cu- (Ag, Pd)バルク金属ガラス生成の組成依存性. 日本金属学会2001春季大会, 千葉工業大学, March 28-30, 2001.
319. 北田信；井上明久. Zr<sub>70</sub>Pd<sub>30</sub>金属ガラスの準結晶相析出に伴う局所構造変化. 日本金属学会2001春季大会, 千葉工業大学, March. 28-30, 2001.
320. 笠井正之；井上明久. Fe-Ga-(P, C, B)金属ガラスの熱的安定性と局所構造. 日本金属学会2001春季大会, 千葉工業大学, March 28-30, 2001.
321. 才田淳治；松下光英；井上明久. Zr-Al-Ni-Cu-Pd金属ガラスの準結晶析出挙動におよぼすPd添加量の影響. 日本金属学会2001春季大会, 千葉工業大学, March 28-30, 2001.
322. 西山信行；井上明久. Pd-Cu-Ni-Pアモルファス合金の臨界冷却速度と熱的安定性. 粉体粉末冶金協会平成13年度春季大会, 早稲田大学, May 22-24, 2001.
323. 石原知；井上明久. ナノ準結晶粒子分散Zr系金属ガラスの高温変形. 粉体粉末冶金協会平成13年度春季大会, 早稲田大学, May 22-24, 2001.
324. 綱谷健児；井上明久. Mg-Y-Cu-(Ag, Pd) 金属ガラスバルク材の生成と機械的性質. 粉体粉末冶金協会平成13年度春季大会, 早稲田大学, May 22-24, 2001.
325. 李春飛；王立民；井上明久. Hf-Cu-M(M = Ni, Pd, Pt) アモルファス合金における正二十面体準結晶の析出. 日本金属学会2001春季大会, 千葉工業大学, March 28-30, 2001.
326. 石原知；井上明久. Zr-Al-Ni-Cu-Pd系準結晶分散バルク金属ガラスにおける変形挙動の温度依存性. 日本金属学会2001春季大会, 千葉工業大学, March 28-30, 2001.
327. Inoue, A. Recent progress in balk glassyalloys. Fifth Brazilian Symposium on Glasses and Related Materials. Foz doIguacu-PARANA, Aug. 19-22, 2001.
328. 北田信；今福宗行；才田淳治；松原英一郎；井上明久. Structural study of Zr-NM (NM = Pdor Pt) metallic glasses. Eleventh International Conference on Liquid andAmorphous Metals, Keio University, Yokohama, Japan, Sep. 9-14, 2001.
329. 今福宗行；佐藤成男；松原英一郎；井上明久. Structural study ofFe<sub>90-x</sub>Nb<sub>10</sub>B<sub>x</sub>(X=10, 20 and 30) glassy alloys. Eleventh International Conferenceon Liquid and Amorphous Metals, Keio University, Yokohama, Japan, Sep. 9-14, 2001.

330. 才田淳治; 井上明久. Zr-Al-Ni-Cu金属ガラスの相変態. 日本金属学会2001秋期大会, 九州産業大学, Sep. 22-24, 2001.
331. 才田淳治; 松下光英; 井上明久. Transformation at the initial crystallization stage of Zr-Al-Ni-Cu glassy alloys with low oxygen content. Eleventh International Conference on Liquid and Amorphous Metals, Keio University, Yokohama, Japan, Sep. 9-14, 2001.
332. 才田淳治; 井上明久. Icosahedral quasicrystalline phaseformation in the Zr-Al-Ni-Cu glassy alloys by addition of V, Nb, Ta elements. Eleventh International Conference on Liquid and Amorphous Metals, Keio University, Yokohama, Japan, Sep. 9-14, 2001.
333. 才田淳治; 松下光英; 井上明久. Nanoicosahedral phase in Zr-Pd and Zr-Pt binary alloys. Quasicrystals 2001, Sendai, Sep. 24-28, 2001.
334. 才田淳治; 松下光英; 井上明久. Nanoquasicrystallization in Zr-based glassy alloys. KIST-KINKEN & INHA-KINKEN Joint seminar, 济州島(韓国), Aug. 30-31, 2001.
335. 才田淳治; 松下光英; 井上明久. Nanoicosahedral quasicrystals in Zr-based glassy alloys. 4th Pacific Rim Intern. Conf. on Advanced Materials and Processing (PRICM4), Honolulu, (Hawaii), Dec. 11-15, 2001.
336. 王立民; 井上明久. 準結晶分散Ti-Zr-Ni-Cu系アモルファス合金の作製と機械的性質. 日本金属学会2001秋期大会, 九州産業大学, Sep. 22-24, 2001.
337. 今福宗行; 北田信; 才田淳治; 松原英一郎; 井上明久. Structural study of quasicrystallization in Zr-Pd and Zr-Pt glassy alloys. 4th Pacific Rim Intern. Conf. on Advanced Materials and Processing (PRICM4), Honolulu, (Hawaii), Dec. 11-15, 2001.
338. 張偉; 張濤; 井上明久. Cu基Cu-Zr-Ti系バルク金属ガラスの熱的安定性および機械的性質. 日本金属学会2001秋期大会, 九州産業大学, Sep. 22-24, 2001.
339. 網谷健児; 井上明久. Ca基バルク金属ガラスの生成と熱的性質. 日本金属学会2001秋期大会, 九州産業大学, Sep. 22-24, 2001.
340. 石原知; 張偉; 井上明久. Fe-Co-Nd-Dy-Bガラス粉末のホットプレスによる固化成形とバルク成形体の磁気特性. 日本金属学会2001秋期大会, 九州産業大学, Sep. 22-24, 2001.
341. 進藤卓嗣; 早稲田嘉夫; 井上明久. 混合エンタルピー値計算に基づく三元系ガラス合金におけるガラス化組成領域の予測. 日本金属学会2001秋期大会, 九州産業大学, Sep. 22-24, 2001.
342. 西山信行; 井上明久. Stability and thermodynamics of primary precipitate in supercooled Pd-Cu-Ni-P melt. Eleventh International Conference on Liquid and Amorphous Metals, Keio University, Yokohama, Japan, Sep. 9-14, 2001.
343. 西山信行; 馬朝利; 井上明久. Pd<sub>40</sub>Cu<sub>30</sub>Ni<sub>10</sub>P<sub>20</sub>組成近傍合金におけるガラス化臨界冷却速度とガラス形成能評価. 日本金属学会2001秋期大会, 九州産業大学, Sep. 22-24, 2001.
344. 西山信行; 井上明久. 新しいガラス形成能評価パラメータの提唱と非共晶系金属ガラスでの有効性. 日本金属学会2001秋期大会, 九州産業大学, Sep. 22-24, 2001.
345. 笠井正之; 李春飛; 才田淳治; 井上明久. Zr<sub>70</sub>Cu<sub>30</sub>-XIrX (X = 0, 1, 10) の準結晶析出挙動および局所構造解析. 日本金属学会2001秋期大会, 九州産業大学, Sep. 22-24, 2001.
346. 石原知; 張偉; 井上明久. Fe-Co-Nd-Dy-Bガラス粉末のホットプレスによる固化成形とバルク成形体の磁気特性. 粉体粉末冶金協会平成13年度秋季大会, 大同工業大学(名古屋市), Oct. 29-Nov. 1, 2001.
347. Inoue, A.; Kimura, H. Structure and mechanical properties of glassy and nanocrystalline alloys in Mg-based system. The 22nd RISO International Symposium on Materials Science. Riso National Lab., Roskilde, Denmark, Sep. 3-7, 2001.
348. Inoue, A. High-strength nanocrystalline Mg-based alloys. ISMANAM 2001, University of Michigan, USA, June 24-29, 2001.
349. 井上明久. バルク金属ガラスの現状と将来展望. 材料科学と工学討論会, 中国大連理工大学, Oct. 6-10, 2001.
350. 井上明久. 過冷却液体の安定化現象の利用による新材料創製. 日本金属学会2001秋期大会, 九州産業大学, Sep. 22-24, 2001.
351. M. Sherif El-Eskandarany; Inoue, A. Solid-state crystalline-glassy-crystalline phase transformations of mechanically alloyed Cu<sub>33</sub>Zr<sub>67</sub> powders. 日本金属学会2001秋期大会, 九州産業大学, Sep. 22-24, 2001.
352. M. Sherif El-Eskandarany; Inoue, A. Phase transformations of ball-milled Nb<sub>50</sub>Zr<sub>10</sub>Al<sub>10</sub>Ni<sub>10</sub>Cu<sub>20</sub> powders and the effect of annealing. 粉体粉末冶金協会平成13年度春季大会, 早稲田大学, May 22-24, 2001.
353. M. Sherif El-Eskandarany; Inoue, A. Solid-state transformations during mechanical alloying of Cu<sub>33</sub>Zr<sub>67</sub> powders: The role of crystalline-glass-crystalline cyclic phase transformation via ball-milling technique. Eleventh International Conference on Liquid and Amorphous Metals, Keio University, Yokohama, Japan, Sep. 9-14, 2001.
354. M. Sherif El-Eskandarany; Matsushita, M.; Inoue, A. Mechanically driven solid state amorphization reaction of ball-milled Nb<sub>50</sub>Zr<sub>10</sub>Al<sub>10</sub>Ni<sub>10</sub>Cu<sub>20</sub> powders and the effect of annealing. Eleventh International Conference on Liquid and Amorphous Metals, Keio University, Yokohama, Japan, Sep. 9-14, 2001.
355. M. Sherif El-Eskandarany; Inoue, A. Calorimetric and morphological studies of mechanically solid state reacted Cu<sub>33</sub>Zr<sub>67</sub> glassy powders. 粉体粉末冶金協会平成13年度秋季大会, 大同工業大学

- (名古屋市), Oct. 29–Nov. 1, 2001.
356. Zhang, W.; Inoue, A. Bulk Nanocomposite permanentmagnets produced by crystallization of Fe66.5Co10Pr3.5B20 bulk glassy alloy. 46th Annual Conference on Magnetism & MagneticMaterials, Seattle, USA, Nov, 13–16, 2001.
357. Ma, C.; Nishiyama, N.; Inoue, A. Phaseequilibria and glass-forming ability in Pd-based alloys with compositions nearPd40Cu30Ni10P20. 日本金属学会2001秋期大会, 九州産業大学, Sep. 22–24, 2001.
358. Saida, J.; Matsushita, M.; Inoue, A. Nanoicosahedral quasicrystals in Zr-based glassy alloys. Bulk Metallic Glasses II, Keelung, Taiwan, March 24–29, 2002.
359. Ishihara, S.; Inoue, A. Superplasticdeformation in supercooled liquid of Zr-base bulk glassy alloys containingnano-quasicrystalline particles. 4th Pacific Rim Intern. Conf. on Advanced Materials and Processing (PRICM4), Honolulu, Hawaii, Dec. 11–15, 2001.
360. Amiya, K.; Inoue, A. Mg-based bulk glassyalloys produced by water quenching. 4th Pacific Rim Intern. Conf. on Advanced Materials and Processing (PRICM4), Honolulu, Hawaii, Dec. 11–15, 2001.
361. 才田淳治; 井上明久. 相変態挙動からみたZr基金属ガラスの安定性要因の考察. 日本金属学会2002春期大会, 東京 (東京理科大学), March 28–30, 2002.
362. Nishiyama, N.; Inoue, A. Compositional effecton the glass-forming ability of undercooled Pd–Cu–Ni–P melts. 4th Pacific Rim Intern. Conf. on Advanced Materials and Processing (PRICM4), Honolulu, Hawaii, Dec. 11–15, 2001.
363. Saida, J.; Inoue, A. Quasicrystals from glassdevitrification. 131st TMS Annual Meeting, Seattle, USA, Feb. 17–22, 2000.
364. Inoue, A.; Zhang, W.; Zhang, T.; Kurosaka, K. Formation and high mechanical strength of new Cu-based bulk glassy alloys. 4th Pacific Rim Intern. Conf. on Advanced Materials and Processing (PRICM4), Honolulu, (Hawaii), Dec. 11–15, (2001).
365. 進藤卓嗣; 早稻田嘉夫; 井上明久. Fe基およびZr基三元系金属ガラスにおけるガラス形成能の予測. 日本金属学会2002春期大会, 東京 (東京理科大学), March 28–30, 2002.
366. 石原知; 張偉; 井上明久. Fe–Co–Nd–Dy–Bガラス合金粉末のホットプレス法による固化材の作製と磁気特性. 日本金属学会2002春期大会, 東京 (東京理科大学), March 28–30, 2002.
367. 笠井正之; 中山正雄; 才田淳治; 中村貴弘; 松原英一郎; 井上明久. Zr70Cu30–XIrX (X = 0, 1, 10) の短・中距離規則構造解析. 日本金属学会2002春期大会, 東京 (東京理科大学), March 28–30, 2002.
368. 張偉; 張濤; 井上明久. Cu–Hf–Ti系バルク金属ガラスの熱的安定性および機械的性質. 日本金属学会2002春期大会, 東京 (東京理科大学), March 28–30, 2002.
369. 中山正雄; 植松克仁; 笠井正之; 松原英一郎; 井上明久. Cu–(Zr, Hf)–Ti金属ガラスの結晶化機構. 日本金属学会2002春期大会, 東京 (東京理科大学), March 28–30, 2002.
370. 馬朝利; 西山信行; 井上明久. ナノ結晶分散Pd–Cu–Ni–Pバルクガラスの生成と機械的性質. 日本金属学会2002春期大会, 東京 (東京理科大学), March 28–30, 2002.
371. 網谷健児; 井上明久. Ca–Mg–TM (TM=Cu, Ni, Ag) 系バルク金属ガラス生成の組成依存性. 日本金属学会2002春期大会, 東京 (東京理科大学), March 28–30, 2002.
372. 西山信行; 井上明久. Pd42.2Cu30Ni7.5P20過冷却液体の核生成および結晶成長挙動. 日本金属学会2002春期大会, 東京 (東京理科大学), March 28–30, 2002.
373. Nishiyama, N.; Inoue, A. Stability andnucleation behavior of glass-forming Pd–Cu–Ni–P alloy with a critical coolingrate of 0.067 K/s. UEF Conference (BMG-2), Keelung, Taiwan, March 24–28, 2002.
374. 松下光英; 才田淳治; 井上明久. Zr基金属ガラスからのナノ準結晶析出. 第58回日本電子顕微鏡学会. 大阪市, May 14, 2002.
375. 石原知; 張偉; 井上明久. Fe–Co–Nd–Dy–Bガラス粉末のホットプレス固化と熱処理によるバルク状永久磁石の作製. 粉体粉末冶金協会平成14年度春季大会, 東京 (早稲田大学), May, 27–29, 2002.
376. Inoue, A. Rapid solidification ofnanostructured alloys. 2002 World Congress on Powder Metallurgy &Particulate Materials, Orlando, Florida, USA, June 16–21, 2002.
377. 沈宝龍; 木村久道; 井上明久; 大久保昭; 大森守. 放電プラズマ焼結法によるFe–Co–Ga–P–C–Bバルクガラス合金の作製と磁気特性. 粉体粉末冶金協会平成14年度春季大会, 東京 (早稲田大学), May 27–29, 2002.
378. 才田淳治; 笠井正之; 大砂哲; 松原英一郎; 井上明久. Cu–(Zr, Hf)–Ti液体急冷材のナノ組織と相変態. 日本金属学会秋期大会, 大阪 (大阪大学), Nov. 2–4, 2002.
379. Kasai, M.; Matsubara, E.; Saida, J.; Nakayama, M.; Uematsu, K.; Zhang, T.; Inoue, A. Crystallization behaviour inCu60Zr30Ti10 bulk glassy alloy. Materials Science and Engineering A.
380. Kasai, M.; Matsubara, E.; Saida, J.; Nakayama, M.; Uematsu, K.; Zhang, T.; Inoue, A. Crystallization behaviour inCu60Zr30Ti10 bulk glassy alloy. RQ11, Britain (Oxford), Aug. 25–30, 2002.
381. Inoue, A.; Shen, B. New Fe-based balk glassyalloys with high saturation magnetization of 1.4T to 1.5Tesla. RQ11, Britain (Oxford), Aug. 25–30, 2002.

382. Shen, B.; Inoue, A.; Kimura, H.; Omori, M.; Okubo, A. Preparation of Fe<sub>65</sub>Co<sub>10</sub>Ga<sub>5</sub>P<sub>12</sub>C<sub>4</sub>B<sub>4</sub> bulk glassy alloy with good softmagnetic properties by spark-plasma sintering of glassy powder. RQ11, Britain (Oxford), Aug. 25-30, 2002.
383. 沈 宝龍; 井上明久. 1.5 Tの高飽和磁化を持つFe-Si-B-M (M = Zr, Nb) バルクガラス合金の作製と軟磁気特性. 日本国金属学会秋期大会, 大阪 (大阪大学), Nov. 2-4, 2002.
384. 沈 宝龍; 大砂 哲; 井上明久. ナノ結晶Fe-Si-B-Nb-Cuバルク合金の作製と軟磁気特性. 日本国金属学会秋期大会, 大阪 (大阪大学), Nov. 2-4, 2002.
385. 沈 宝龍; 井上明久; 木村久道; 大森 守; 大久保昭. 放電プラズマ焼結法によるバルクガラス Fe<sub>65</sub>Co<sub>10</sub>Ga<sub>5</sub>P<sub>12</sub>C<sub>4</sub>B<sub>4</sub>軟磁性コアの作製. 粉体粉末冶金協会平成14年度秋季大会, 京都工芸織維大学, Nov. 12-14, 2002.
386. 張 偉; 井上明久. Ni-Nb-Ti-Zr系バルク金属ガラスの作製および機械的性質. 日本国金属学会秋期大会, 大阪 (大阪大学), Nov. 2-4, 2002.
387. 王 立民; 井上明久. Ti-Zr-Ni-Cu系のアモルファスおよびバルク準結晶合金の作製と機械的性質. 日本国金属学会2002春期大会, 東京 (東京理科大学), March 28-30, 2002.
388. 西山信行; 井上明久. Pd-Cu-Ni-P合金のガラス化臨界冷却速度におよぼす試料寸法の影響. 日本国金属学会秋期大会, 大阪 (大阪大学), Nov. 2-4, 2002.
389. 沈 宝龍; 井上明久; 木村久道; 大森 守; 大久保昭. 放電プラズマ焼結法によるFe基金属ガラス合金粉末の固化成形と磁気特性. 第7回SPS研究会, 長野県上山田温泉 (ホテル清風園), Nov. 28-29, 2002.

### III. Reviews and Books

393. 井上明久. “非周期構造の安定化による高機能バルク金属材料の創製.” 第1回スーパーメタルシンポジウム講演集. 107-118 (1998).
394. 井上明久. “過冷金属-バルク金属ガラス相への異常安定化現象.” 応用物理. 67, 1176-1180 (1998).
395. 井上明久. “過冷金属—バルク金属ガラス相への異常安定化現象.” 凝固理論と応用III. 75-85 (1998).
396. 井上明久. “バルク状アモルファス合金.” 工業材料. 47, 78-79 (1998).
397. 井上明久. “金属化冷却液体の安定化による新物質創製.” 青葉工業会報. 9-11 (1998).
398. Inoue, A. “Bulk amorphous alloys, preparationand fundamental characteristics.” Trans. Tech. Publications. 1-116 (1998).
399. Inoue, A. “Bulk amorphous alloys.” Non-equilibrium processing of materials. 375-414 (1998).
400. 井上明久. “アモルファスおよび準結晶急速凝固粉末の利用による高非強度Al基合金の開発.” 粉体粉末冶金協会. 45, 349-355 (1998).
401. 井上明久. “アモルファス合金の熱分析.” 熱量測定・熱分析ハンドブック. 183 (1998).
402. 井上明久. “急速凝固アモルファス相の利用によるMg基合金の高強度化.” までりあ, 38, 301-316 (1999).
403. 井上明久. “バルク金属ガラスの開発と実用化の現状ならびに将来展望.” 素形材. 40, (1999).
404. Inoue, A. “Bulk amorphous alloys, practicalcharacteristics and applications.” Trans. Tech. Publications. 1-142 (1999).
405. Inoue, A. “Bulk Metallic glasses.” Non-Equilibrium Processing of Materials, ed. C. Suryanarayana, ElsevierScience, Amsterdam, 151-186 (1999).
406. Inoue, A.; Takeuchi, A.; Zhang, T. “Synthesisand soft magnetic properties of Fe-based bulk amorphous alloys.” Microstructureand Properties of Advanced Materials, 215-241 (1999).
407. Inoue, A. “Amorphous, nanoquasicrystallineand nanocrystalline alloys in Al-based systems.” Proc. Mater. Sci. 43, 365-520(1999).
408. Inoue, A.; Makino, A. “Magnetic properties ofnanocrystalline materials.” Nanostructured Materials, (1999).
409. 今福宗行. “創造科学技術推進事業.” 日本国金属学会会報. 38, 71 (1999).
410. 井上明久; 木村久道. “非平衡相バルクアルミニウム基合金の創製と高強度特性.” 軽金属. 49, 221 (1999).
411. 井上明久. “バルク金属ガラスの開発と実用化の現状ならびに将来展望.” 化学工業の進歩33. 先端材料制御工学化学工学編, 178-196 (1999).
412. 井上明久. “製造業の世界を変える未来の新材料技術 (リキッドアロイ).” 機械振興. 32, 52-65 (1999).
413. 井上明久. “バルク金属ガラス.” 工業材料, 48, 2-4 (2000).
414. Inoue, A. “Stabilization of metallicsupercooled liquid and bulk amorphous alloys.” Acta Mater. 48, 277-304 (2000).
415. 井上明久. “アモルファス金属の40年.” 軽金属. 50, 173-178(2000).
416. 井上明久. “マグネシウム合金の急冷凝固.” マグネシウム技術便覧. 181-290 (2000).
417. 井上明久. “アモルファスおよび準結晶.” 金属便覧. 177-179 (2000).
418. 井上明久. “アモルファス, ナノ結晶および準結晶.” 金属便覧. 364-368 (2000).
419. 井上明久; 木村久道. “Al基およびZr基合金のナノ準結晶分散組織の生成と高強度・高延性化.” までりあ. 39, 664-670 (2000).
420. 井上明久. “過冷金属が拓く新金属材料の世界.” JST基礎研究報 源流. 3, 25-33(2001).
421. Inoue, A. “Bulk Amorphous Alloys.” Amorphousand Nanocrystalline Materials: Preparation, Properties, and Applications, 1-51(2001).

422. Inoue, A.; Takeuchi, A.; Shen, B. "Formation and functional properties of Fe-based bulk glassy alloys." *Mater. Trans.* 42, 970-978 (2001).
423. 井上明久. "高強度・高延性の新マグネシウム合金." *工業材料*. 49, 58-64 (2001).
424. 井上明久; 加藤秀実. "バルクガラス合金の開発とその展開" *日本学術振興会材料の微細組織と機能性第133委員会*. 477-481 (2001).
425. 井上明久. "強度3倍のマグネシウム新合金" *アルトピア*. 137-142 (2001).
426. 井上明久. "用途開発本番を迎える金属ガラス" *TRIGER*. Nov 20-21(2001).
427. Inoue, A.; Hashimoto, K. "Amorphous and nano-crystalline materials." *ADVANCES IN MATERIALS RESEARCH*. 1-206 (2001).
428. 井上明久. "ナノメタル, ナノテクノロジーのすべて." *工業調査会*. 30-33 (2001).
429. Inoue, A.; Kimura, H.M. "Bulk amorphous, nanocrystalline and nanoquasicrystalline aluminium alloys." IOP Publishing Ltd150-169 (2001).
430. Inoue, A.; Yoshida, T.; Mizushima, T.; Makino, A. "Structure and soft magnetic properties of bulk Fe-Al-Ga-P-C-B-Siglassy alloys prepared by consolidating glassy powders." *J. MRS.* 16, 2836-2844 (2001).
431. Nishiyama, N.; Inoue, A. "Metastable solidification-typical example for stabilization of undercooled liquid." *BookSeries of Materials Science and Engineering Solidification and Casting Institute of Physics Publishing*.
432. 井上明久. "ナノ構造制御による高強度・高延性Mg合金の開発." *未来材料*. 6, 8-22(2001).
433. 井上明久. "新材料加工技術." *までりあ*. 40, 507-508(2001).
434. 井上明久. "バルク金属ガラス." *工業材料*, 50, 64-65 (2001).
435. 井上明久. "過冷金属." *日刊工業新聞社*. 25-27(2001).
436. 井上明久. "バルク金属ガラス." *工業材料*. 1月号 (2002).
437. 才田淳治; 松下光英; 井上明久. "Zr基金属ガラスの相変態挙動-ナノスケール準結晶相の生成-." *までりあ*. 41, 199-205 (2002).
438. 井上明久; 西山信行; 今福宗行; 才田淳治; 他. "金属ガラスの新たな展開." *機能材料*. 6, 5-25 (2002).
439. 井上明久. "アモルファス高強度材料およびアモルファス硬質磁性材料におけるナノ結晶粒子の析出." *電子顕微鏡法の実践と応用写真集*. 212-212 (2002).
440. 井上明久. "過冷却金属液体の安定化現象の利用によるバルク金属ガラス・非平衡ナノ結晶材料の開発." (株) テクノバ. 1-58 (2002).
441. 井上明久. "過冷却金属液体の安定化現象の発見と新材料創出" *文部科学時報*1513, 44-45 (2002).
442. Saida, J.; Inoue, A. "Nanoicosahedralquasicrystals". *Encyclopedia of Nanoscience and Nanotechnology*

 前へ戻る