

千葉大学大学院医学研究院 教授

谷口 克

「自己免疫制御の分子基盤」

## 1. 研究実施の概要

### 基本構想 :

研究の目的は免疫制御系の新しい細胞系列として同定された NKT 細胞の(1) 分化機構、(2) 生理機能、(3) NKT 細胞機能の分子基盤、(4)  $V\alpha 14$  受容体のリガンド同定を行うことによって、免疫制御の分子機構を明かにし、(5) 自己免疫疾患発症の分子的理験を可能にする事である。

この目的を達成するために次のプロジェクトを遂行することとした。

NKT 細胞前駆細胞の同定

NKT 細胞の分化機構

$V\alpha 14$  NKT 細胞抗原受容体のリガンド同定

NKT 細胞機能発現のメカニズム

NKT 細胞療法の基盤技術開発

### 実施・研究成果のまとめ :

平成 8 年から平成 13 年までに支援された戦略的基礎研究費で得た成果の要約は次のとおりである。

#### 1. $V\alpha 14$ 抗原受容体遺伝子の発見と NKT 細胞分化 :

NKT 細胞の抗原受容体は、多様性の無いただ一種類の受容体 ( $V\alpha 14 J\alpha 281$ ) で、T 細胞では使われておらず、NKT 細胞に特徴的である事が明らかとなった。

#### 2. NKT 細胞が新しいリンパ球系列であることの証明 :

(イ) NKT マウスと NKT 欠損マウスの作成 : NKT 細胞だけが出現し、通常のリンパ球が無い NKT マウスおよびすべての組織から NKT 細胞のみが消失し、他の免疫系は正常のマウスを作成することに成功した。

(ロ) NKT 細胞前駆細胞の証明 : NKT 細胞にのみ分化する前駆細胞の存在を証明した。この細胞は幼若型受容体 ( $pT\alpha$  と  $V\beta 8$ ) とリンパ球には発現していないと考えられていた GM-CSF 受容体を発現し、細胞内には遺伝子再構成に必要な酵素 RAG を持つ。さらに GM-CSF 受容体からの刺激で  $V\alpha 14$  遺伝子再構成を起こし成熟型 NKT 細胞に分化した。以上の事実を総合して、NKT 細胞は免疫系の新しいリンパ球系列であると考えられた。

3.  $V\alpha 14$  抗原受容体リガンドの発見 :  $V\alpha 14$  受容体はクラス Ib 分子である CD1d と共に抗原を認識するが、それが  $\alpha$ -ガラクトシルセラミド ( $\alpha$ -GalCer) という糖脂質であることを証明した。

4.  $\alpha$ -ガラクトシルセラミドと CD1d 分子の相互作用 : CD1d に結合する  $\alpha$ -ガラクトシルセラミドの結合様式を明らかにすることことができた。すなわち、ガラクトースの 3-OH 基が CD1d アルファヘリックスの Arg79 と Glu83 に結合し、2-OH 基は Arg79 と Asp80 に結合し、スフィンゴシン 3-OH 基が Val149 に、Amide nitrogen が Asp153 と結合し安定化する。

## 5. NKT 細胞の生理機能 :

NKT 細胞はこれまで未解決であった様々な免疫現象、たとえば免疫寛容の維持、がんの免疫学的監視、I 型糖尿病などの自己免疫疾患発症制御などの免疫制御のみならず、エンドトキシンショック、ウイルス肝炎モデルである ConA 誘導肝炎、結核肉芽腫形成などの感染症に必須であることが NKT 細胞欠損マウスを用いて証明された。

## 6. リガンドによる活性化 NKT 細胞の機能 :

(イ) がんの臓器転移阻止、(ロ) マラリア感染防御、(ハ) 流産に活性化 NKT 細胞が関与することが明かとなり、臨床応用へ期待されている。

このように、これまで未解決であった免疫現象の多くが、この新しい免疫系によって担われていることがわかった。この NKT 細胞系の発見は、免疫現象の基本的理解、制御、免疫疾患の発症機序解明に新しい道を開くものと考えられる。

## 2. 研究構想

免疫制御系の新しい細胞系列として同定された NKT 細胞の(1) 分化機構、(2) 生理機能、(3) NKT 細胞機能の分子基盤、(4) V $\alpha$  14 受容体のリガンド解析を行うことによって、免疫制御の分子機構を明らかにし、自己免疫疾患発症の分子的理を可能にするため、次のような年次計画を実行した。

### 平成 8 年度

- NKT 細胞前駆細胞の同定・解析
- V $\alpha$  14 NKT 細胞抗原受容体のリガンド同定
- NKT 細胞機能発現のメカニズム

### 平成 9 年度

- NKT 細胞前駆細胞の同定
- V $\alpha$  14 NKT 細胞抗原受容体のリガンド解析
- NKT 細胞機能発現のメカニズム

### 平成 10 年度

1. NKT 細胞前駆細胞の同定
2. V $\alpha$  14 NKT 細胞抗原受容体のリガンド解析
3. NKT 細胞機能発現のメカニズム
4. NKT 細胞の分化機構

平成 11 年度

- V $\alpha$  14 NKT 細胞抗原受容体のリガンド解析
- NKT 細胞機能発現のメカニズム
- NKT 細胞療法の基盤技術開発
- NKT 細胞の分化機構

平成 12 年度


- V $\alpha$  14 NKT 細胞抗原受容体のリガンド解析
- NKT 細胞の分化機構
- NKT 細胞機能発現のメカニズム
- NKT 細胞療法の基盤技術開発

平成 13 年度

- NKT 細胞の分化機構
- NKT 細胞療法の基盤技術開発

### 3. 研究実施体制

#### (1) 体制



### 4. 研究期間中の主な活動

#### (1) ワークショップ・シンポジウム等 なし

## 5. 主な研究成果

### (1) 論文発表 (国内 11 件、海外 52 件)

Taniguchi, M. Functional roles of NKT cells in the immune system. *Ann. Rev. Immunol.*, in press.

Kojo, S., Adachi, Y., Keino, H., Taniguchi, M. and Sumida, T. Dysfunction of TCR AV24AJ18<sup>+</sup>BV11<sup>+</sup> double negative regulatory NKT cells in autoimmune diseases. *Arthritis. Rheuma.* 44: 1127-1138, 2001.

Pal, E., Tabira, T., Kawano, T., Taniguchi, M., Miyake, S., and Yamamura, T. Costimulation-dependent modulation of experimental atuoimmune encephalomyelitis by ligand stimulation of V $\alpha$  14 NK T cells. *J. Immunol.* 166: 662-668, 2001.

Dao, T., Exley, M., Mehal, W.Z., Tahir, S.M.A., Snapper, S., Taniguchi, M., Balk, S.P., and Crispe, I.N. Involvement of CD1 in peripheral deletion of T lymphocytes is independent of NK-T cells. *J. Immunol.* 166: 3090-3097, 2001.

Sonoda, K-H., Faunce, D.E., Taniguchi, M., Exley, M., Balk, S., and Stein-Streilein, J. NKT cell-derived IL-10 is essential for the differentiation of antigen-specific T regulatory cells in systemic tolerance. *J. Immunol.* 166: 42-50, 2001.

Leite-de-Moraes, M.C., Hameg, A., Pacilio, M., Koezuka, Y., Taniguchi, M., Van Kaer, L., Schneider, E., Dy, M., and Herbelin, A. IL-18 enhances IL-4 production by ligand-activated NKT lymphocytes: A pro-Th2 effect of IL-18 exerted through NKT cells. *J. Immunol.* 166: 945-951, 2001.

Yamasaki, M., Sasho, T., Moriya, H., Kanno, M., Harada, M., Kamada, N., Shimizu, E., Nakayama, T., and Taniguchi, M. Extrathymic development of V $\alpha$  11<sup>+</sup> T cells in placenta during pregnancy and their possible physiological role. *J. Immunol.* 166: 7244-7249, 2001.

Seino, K., Fukao, K., Muramoto, K., Yanagisawa, K., Takada, Y., Kakuta, S., Iwakura, Y., Van Kaer, L., Takeda, K., Nakayama, T., Taniguchi, M., Bashuda, H., Yagita, H., and Okumura, K. Requirement for natural killer T (NKT) cells in the induction of allograft tolerance. *Proc. Natl. Acad. Sci. USA* 98: 2577-2581, 2001.

Sharif, S., Arreaza, G.A., Zucker, P., Mi, Q.-S., Sondhi, J., Naidenko, O.V., Kronenberg, M., Koezuka, Y., Delovitch, T.L., Gombert, J.-M., Leite-de-Moraes, M., Gouarin, C., Zhu, R., Hameg, A., Nakayama, T., Taniguchi, M., Lepault, F., Lehuen, A., Bach, J.-F. , and Herbelin, A. Activation of natural killer T cells by  $\alpha$ -galactosylceramide treatment prevents the onset and recurrence of autoimmune Type 1 diabetes. *Nature Med.* 7: 1057-1062, 2001.

Kimura, M., Koseki, Y., Yamashita, M., Watanabe, N., Shimizu, C., Katsumoto, T., Kitamura, T., Taniguchi, M., Koseki, H., and Nakayama, T. Regulation of Th2 cell differentiation by

*mel-18*, a mammalian polycomb group gene. *Immunity* 15: 275-287, 2001.

Akasaka, T., van Lohuizen, M., van der Lugt, N., Mizutani-Koseki, Y., Kanno, M., Taniguchi, M., Vidal, M., Alkema, M., Berns, A., and Koseki, H. Mice doubly deficient for the Polycomb Group genes Mel18 and Bmi1 reveal synergy and requirement for maintenance but not initiation of Hox gene expression. *Development* 128: 1587-1597, 2001.

Ito, K., Karasawa, M., Kawano, T., Akasaka, T., Koseki, H., Akutsu, Y., Kondo, E., Sekiya, S., Sekikawa, K., Harada, M., Yamashita, M., Nakayama, T., and Taniguchi, M. Involvement of decidual V $\alpha$  14 NKT cells in abortion. *Proc. Natl. Acad. Sci. USA* 97: 740-744, 2000.

Shi, F.-D., Wang, H.-B., Li, H., Hong, S., Taniguchi, M., Link, H., Van Kaer, L., and Ljunggren, H.-G. Natural killer cells determine the outcome of B cell-mediated autoimmunity. *Nature Immunol.* 1: 245-251, 2000.

Smyth, M.J., Thia, K.Y.T., Street, S.E.A., Cretney, E., Trapani, J.A., Taniguchi, M., Kawano, T., Pelikan, S.B., Crowe, N.Y., and Godfrey, D.I. Differential tumor surveillance by Natural Killer (NK) and NKT cells. *J. Exp. Med.* 191: 661-668, 2000.

Kaneko, Y., Harada, M., Kawano, T., Yamashita, M., Shibata, Y., Gejyo, F., Nakayama, T., and Taniguchi, M. Augmentation of V $\alpha$  14 NKT cell-mediated cytotoxicity by interleukin 4 in an autocrine mechanism resulting in the development of concanavalin A-induced hepatitis. *J. Exp. Med.* 191: 105-114, 2000.

Yamashita, M., Katsumata, M., Iwashima, M., Kimura, M., Shimizu, C., Kamata, T., Shin, T., Seki, N., Suzuki, S., Taniguchi, M., and Nakayama, T. T cell receptor-induced calcineurin activation regulates T helper type 2 cell development by modifying the interleukin 4 receptor signaling complex. *J. Exp. Med.* 191: 1869-1879, 2000.

Assarsson, E., Kambayashi, T., Sandberg, J.K., Hong, S., Taniguchi, M., Van Kaer, L., Ljunggren, H-G., and Chambers, B.J. CD8 $^+$  T cells rapidly acquire NK1.1 and NK cell-associated molecules upon stimulation in vitro and in vivo. *J. Immunol.* 165: 3673-3679, 2000.

Ikehara, Y., Yasunami, Y., Kodama, S., Maki, T., Nakano, M., Nakayama, T., Taniguchi, M., and Ikeda, S. CD4 $^+$ V $\alpha$  14 natural killer T cells are essential for acceptance of rat islet xenografts in mice. *J. Clin. Invest.* 105:1761-1767, 2000.

Dieli, F., Sireci, G., Russo, D., Taniguchi, M., Ivanyi, J., Fernandez, C., Troye-Blomberg, M., De Leo, G., and Salerno, A. Resistance of natural killer T cell-deficient mice to systemic Shwartzman reaction. *J. Exp. Med.* 192: 1645-1652, 2000.

Makowska, A., Kawano, T., Taniguchi, M., and Cardell, S. Differences in the ligand specificity between CD1d-restricted T cells with limited and diverse T-cell receptor repertoire. *Scand. J. Immunol.* 52: 71-79, 2000.

Matsuda, J.L., Naidenko, O.V., Gapin, L., Nakayama, T., Taniguchi, M., Wang, C.-R., Koezuka, Y., and Kronenberg, M. Tracking the response of natural killer T cells to a glycolipid antigen using CD1d tetramers. *J. Exp. Med.* 192: 741-753, 2000.

Taniguchi, M. and Nakayama, T. Recognition and function of V $\alpha$  14 NKT cells. *Semin. Immunol.* 12: 543-550, 2000.

Gonzalez-Aseguinolaza, G., de Oliveira, C., Tomaska, M., Hong, S., Bruna-Romero, O., Nakayama, T., Taniguchi, M., Bendelac, A., Van Kaer, L., Koezuka, Y. and Tsuji, M.  $\alpha$ -Galactosylceramide -activated V $\alpha$  14 natural killer T cells mediate protection against murine malaria. *Proc. Natl. Acad. Sci. USA* 97: 8461-8466, 2000.

Andrews, K.J., Ribas, A., Butterfield, L.H., Vollmer, C.M., Eilber, F.C., Dissette, V.B., Nelson, S.D., Shintaku, P., Mekhoubad, S., Nakayama, T., Taniguchi, M., Glaspy, J.A., McBride, W.H., and Economou, J.S. Adenovirus-interleukin-12-mediated tumor regression in a murine hepatocellular carcinoma model is not dependent on CD1-restricted natural killer T cells. *Cancer Res.* 60: 6457-6464, 2000.

Smyth, M.J., Taniguchi, M., and Street, S.E. The anti-tumor activity of IL-12: Mechanisms of innate immunity that are model and dose dependent. *J. Immunol.* 165: 2665-2670, 2000.

Sato, H., Nakayama, T., Tanaka, Y., Yamashita, M., Shibata, Y., Kondo, E., Saito, Y., and Taniguchi, M. Induction of differentiation of pre-NKT cells to mature V $\alpha$  14 NKT cells by granulocyte/macrophage colony-stimulating factor. *Proc. Natl. Acad. Sci. USA* 96: 7439-7444, 1999.

Apostolou, I., Takahama, Y., Belmant, C., Kawano, T., Huerre, M., Marchal, G., Cui, J., Taniguchi, M., Nakauchi, H., Fournié, J.-J., Kourilsky, P., and Gachelin, G. Murine natural killer cells contribute to the granulomatous reaction caused by mycobacterial cell walls. *Proc. Natl. Acad. Sci. USA* 96: 5141-5146, 1999.

Shimamura, M., Huang, Y.-Y., Suda, Y., Kusumoto, S., Sato, K., Grusby, M.J., Sato, H., Nakayama, T., and Taniguchi, M. Positive selection of NKT cells by CD1 $^+$ , CD11c $^+$  non-lymphoid cells residing in the extrathymic organs. *Eur. J. Immunol.* 29: 3962-3970, 1999.

Shirakata, Y., Ishii, K., Yagita, H., Okumura, K., Taniguchi, M., and Takemori, T. Distinct subcellular localization and substrate specificity of extracellular signal-regulated kinase in B cells upon stimulation with IgM and CD40. *J. Immunol.* 163: 6589-6597, 1999.

Furumoto, T., Miura, N., Akasaka, T., Mizutani-Koseki, Y., Sudo, H., Fukuda, K., Maekawa, M., Yuasa, S., Fu, Y., Moriya, H., Taniguchi, M., Imai, K., Dahl, E., Balling, R., Pavlova, M., Gossler, A., and Koseki, H. Notochord dependent expression of MFH-1 and PAX1 cooperates to maintain the proliferation of sclerotome cells during the vertebral column development. *Dev. Biol.* 210: 15-29. 1999.

Tomura, M., Yu, W.-G., Ahn, H.-J., Yamashita, M., Yang, Y.-F., Ono, S., Hamaoka, T., Kawano, T., Taniguchi, M., Koezuka, Y., and Fujiwara, H. A novel function of V $\alpha$  14 $^+$ CD4 $^+$ NKT cells: Stimulation of IL-12 production by antigen-presenting cells in the innate immune system. *J. Immunol.* 163: 93-101, 1999.

Eberl, G., Lees, R., Smile, S.T., Taniguchi, M., Grusby, M.J., and MacDonald, H.R. Tissue-specific segregation of CD1d-dependent and CD1d-independent NKT cells. *J. Immunol.* 162: 6410-6419, 1999.

Kitamura, H., Iwakabe, K., Yahata, T., Nishimura, S., Ohta, A., Ohmi, Y., Sato, M., Takeda, K., Okumura, K., Van Kaer, L., Kawano, T., Taniguchi, M., and Nishimura, T. The natural killer T (NKT) cell ligand  $\alpha$ -galactosylceramide demonstrates its immunopotentiating effect by inducing interleukin (IL)-12 production by dendritic cells and IL-12 receptor expression on NKT cells. *J. Exp. Med.* 189: 1121-1127, 1999.

Nakano, H., Sakon, S., Koseki, H., Takemori, T., Tada, K., Matsumoto, M., Munechika, E., Sakai, T., Shirasawa, T., Akiba, H., Kobata, T., Santee, S. M., Ware, C.F., Rennert, P.D., Taniguchi, M., Yagita, H., and Okumura, K. Targeted disruption of *Traf5* gene causes defects in CD40-and CD27-mediated lymphocyte activation. *Proc. Natl. Acad. Sci. USA* 96: 9803-9808, 1999.

Cui, J., Watanabe, N., Kawano, T., Yamashita, M., Kamata, T., Shimizu, C., Kimura, M., Shimizu, E., Koike, J., Koseki, H., Tanaka, Y., Taniguchi, M., and Nakayama, T. Inhibition of T helper cell type 2 cell differentiation and immunoglobulin E response by ligand-activated V $\alpha$  14 natural killer T cells. *J. Exp. Med.* 190: 783-792, 1999.

Zeng, D., Gazit, G., Dejbakhsh-Jones, S., Balk, S.P., Snapper, S., Taniguchi, M., and Strober, S. Heterogeneity of NK1.1 $^+$  T cells in the bone marrow: Divergence from the thymus. *J. Immunol.* 163: 5338-5345, 1999.

Ishigami, M., Nishimura, H., Naiki, Y., Yoshioka, K., Kawano, T., Tanaka, Y., Taniguchi, M., Kakumu, S., and Yoshikai, Y. The roles of intrahepatic V $\alpha$  14 $^+$ NK1.1 $^+$  T cells for liver injury induced by *Salmonella* infection in mice. *Hepatology* 29: 1799-1808, 1999.

Naiki, Y., Nishimura, H., Kawano, T., Tanaka, Y., Itohara, S., Taniguchi, M., and Yoshikai, Y. Regulatory role of peritoneal NK1.1 $^+$   $\alpha$   $\beta$  T cells in IL-12 production during *Salmonella* infection. *J. Immunol.* 163: 2057-2063, 1999.

Toura, I., Kawano, T., Akutsu, Y., Nakayama, T., Ochiai, T., and Taniguchi, M. Inhibition of experimental tumor metastasis by dendritic cells pulsed with  $\alpha$ -galactosylceramide. *J. Immunol.* 163: 2387-2391, 1999.

Kawano, T., Nakayama, T., Kamada, N., Kaneko, Y., Harada, M., Ogura, Y., Akutsu, Y., Motohashi, S., Endo, H., Fujisawa, T., Shinkai, H., and Taniguchi, M. Anti-tumor cytotoxicity mediated by ligand-activated human V $\alpha$  24 NKT cells. *Cancer Res.* 59: 5102-5105, 1999.

Hammond, K.J.L., Pelikan, S.B., Crowe, N.Y., Randle-Barrett, E., Nakayama, T., Taniguchi, M., Smyth, M.J., van Driel, I.R., Scollay, R., Baxter, A.G., and Godfrey, D.I. NKT cells are phenotypically and functionally diverse. *Eur. J. Immunol.* 29: 3768-3781, 1999.

Kawano, T., Cui, J., Koezuka, Y., Toura, I., Kaneko, Y., Sato, H., Kondo, E., Harada, M., Koseki, H., Nakayama, T., Tanaka, Y., and Taniguchi, M. Natural killer-like nonspecific tumor cell lysis mediated by specific ligand-activated V $\alpha$  14 NKT cells. *Proc. Natl. Acad. Sci. USA* 95: 5690-5693, 1998.

Burdin, N., Brossay, L., Koezuka, Y., Smiley, S.T., Grusby, M.J., Gui, M., Taniguchi, M., Hayakawa, K., and Kronenberg, M. Selective ability of mouse CD1 to present glycolipids:  $\alpha$ -galactosylceramide specifically stimulates V $\alpha$  14 $^+$  NK T lymphocytes. *J. Immunol.* 161: 3271-3281, 1998.

Tetsu, O., Ishihara, H., Kanno, R., Kamiyasu, M., Inoue, H., Tokuhisa, T., Taniguchi, M., and Kanno, M. *mel-18* negatively regulates cell cycle progression upon B cell antigen receptor stimulation through a cascade leading to *c-myc/cdc25*. *Immunity* 9: 439-448, 1998.

Cui, J., Shin, T., Kawano, T., Sato, H., Kondo, E., Toura, I., Kaneko, Y., Koseki, H., Kanno, M., and Taniguchi, M. Requirement for V $\alpha$  14 NKT cells in IL-12-mediated rejection of tumors. *Science* 278, 1623-1626, 1997.

Masuda, K., Makino, Y., Cui, J., Ito, T., Tokuhisa, T., Takahama, Y., Koseki, H., Tsuchida, K., Koike, T., Moriya, H., Amano, M., and Taniguchi, M. Phenotypes and invariant  $\alpha$   $\beta$  T cell antigen receptor expression of peripheral V $\alpha$  14 $^+$  NK T cells. *J. Immunol.* 158: 2076-2082, 1997.

Kimoto, H., Nagaoka, H., Adachi, Y., Mizuochi, T., Azuma, T., Yagi, T., Sata, T., Yonehara, S., Tsunetsugu-Yokota, Y., Taniguchi, M., and Takemori, T. Accumulation of somatic hypermutation and antigen-driven selection in rapidly cycling surface Ig $^+$  germinal center (GC) B cells which occupy GC at a high frequency during the primary anti-hapten response in mice. *Eur. J. Immunol.* 27:268-279, 1997.

Kawano, T., Cui, J., Koezuka, Y., Toura, I., Kaneko, Y., Motoki, K., Ueno, H., Nakagawa, R., Sato, H., Kondo, E., Koseki, H., and Taniguchi, M. CD1d-restricted and TCR-mediated activation of V $\alpha$  14 NKT cells by glycosylceramides. *Science* 278, 1626-1629, 1997.

Akasaka, T., Tsuji, K., Kawahira, H., Kanno, M., Harigaya, K., Hu, L., Ebihara, Y., Nakahata, T., Tetsu, O., Taniguchi, M., and Koseki, H. The role of *mel-18*, a mammalian *Polycomb* group gene, during the IL-7-dependent proliferation of lymphocyte precursors. *Immunity* 7: 135-146, 1997.

Iida, K., Koseki, H., Kakinuma, H., Kato, N., Mizutani-Koseki, Y., Ohuchi, H., Yoshioka, H., Noji, S., Kawamura, K., Kataoka, Y., Ueno, F., Taniguchi, M., Yoshida, N., Sugiyama, T. and Miura, N. Essential roles of the winged helix transcription factor MFH-1 in aortic arch patterning and skeletogenesis. *Development* 124: 4627-4638, 1997.

Hatano, M., Aoki, T., Dezawa, M., Yusa, S., Iitsuka, Y., Koseki, H., Taniguchi, M., and Tokuhisa, T. A novel pathogenesis of megacolon in Ncx/Hox11L.1 deficient mice. *J. Clin. Invest.* 100: 795-801, 1997.

Fukuda, T., Yoshida, T., Okada, S., Hatano, M., Miki, T., Ishibashi, K., Okabe, S., Koseki, H., Hirosawa, S., Taniguchi, M., Miyasaka, N., and Tokuhisa, T. Disruption of the *Bcl6* gene results in an impaired germinal center formation. *J. Exp. Med.* 186: 439-448, 1997.

(2) 口頭発表

① 招待、口頭講演（国内 8 件、海外 17 件）

Taniguchi, M. Recognition and Function of NKT Cells. 11<sup>th</sup> International Congress of Immunology, July 22-27, 2001, Stockholm, Sweden

Taniguchi, M. V $\alpha$  14 NKT cell-mediated antitumor effects. Molecular Biology and New Therapeutic Strategies: Cancer Research in the 21st Century. Feb. 12-16, 2001, Maui, Hawaii

Taniguchi, M. Development and function of V $\alpha$  14 NKT cells- A novel lymphoid lineage-. The 2nd FIMSA Congress “Immunology and Allergology in the Asia-Oceania: at the Dawn of the New Millennium”, Jan 23-27, 2000, Bangkok, Thailand

Nakayama, T. Inhibition of Th2 cell differentiation and IgE response by ligand-activated V $\alpha$  14 NKT cells. Keystone Symposia, Jan 28- Feb 3, 2000, Keystone, CO, USA

Taniguchi, M. Induction of V $\alpha$  14 preNKT cells by GM-CSF. French-Japanese Immunology Meeting. Feb 4-5, 2000, Nice, France

Taniguchi, M. Regulation on IgE Responses by V $\alpha$  14 NKT Cells. 23rd CIA SYMPOSIUM: Allergy in the 21st Century: New Answers to Old Questions, May 18-23, 2000, Hakone Japan

Taniguchi, M. Development and recognition by V $\alpha$  14 NKT cells. Japan-Sweden Immunology Meeting. Sept. 10-14, 2000, Stockholm, Sweden

Taniguchi, M. Regulation of V $\alpha$  14 NKT cell-mediated cytotoxicity by a ligand/CD1d complex on target cells. US-Japan & Germnay-Japan Joint Meeting, Nov. 16-18, 2000, Zao, Japan

Taniguchi, M. V $\alpha$  14NKT cell. 3rd German-Japanese Immunology Meeting. Jan 28, 1999, Freiburg, Germany

Taniguchi, M. Function and recognition of V $\alpha$  14NKT cells. Workshop on NK T cells and CD1 mediated antigen presentation. Apr 10, 1999, San Diego, USA

Taniguchi, M. A novel lymphoid cell lineage-Function and recognition of V $\alpha$  14 NKT cells. Japan-Korea Symposium on molecular immunology/The 6th IMSUT-IMBG/SNU symposium. Jul 1, 1999, Tokyo, Japan

Taniguchi, M. Immunology Today: Function and recognition of V $\alpha$  14 NKT cells. XVth International symposium on glycoconjugates. Aug 23, 1999, Tokyo, Japan

Taniguchi, M. V $\alpha$  14NKT cells: a novel lymphocyte subset. International conference on T cell activation and development. Nov 14, 1999, Kyung-Ju, Korea

Taniguchi, M. A novel immunological mechanisms of abortion. International Symposium on Alternative Reproduction Strategies. Nov 27, 1999, Hayama, Japan

Taniguchi, M. Recognition of Glycolipids by NKT Cells, Gordon Conference: Glycolipid and Shingolipid Biology, Jan. 13, 1998, Harbortown Resort, Venture, USA

Taniguchi, M. Tumor Immunobiology: experimental and preclinical, Introductory talk for the minisymposium: The 89th Annual Meeting of American Association for Cancer Research, Apr 1, 1998, New Orleans, USA

Taniguchi, M. A ligand of V $\alpha$  14 NKT cells and their functions. Kekulé-Institut für Organische Chemie und Biochemie der Rheinischen Friedrich-Wilhelms-Universität Bonn, Apr. 30, 1998, Bonn, Germany

Taniguchi, M.  $\alpha$ -GalCer as ligand for V $\alpha$  14 antigen receptor on a novel lineage of lymphocytes, The International GlycoBio Technology Symposium 98, May 5, 1998, Braunschweig, Germany

Taniguchi, M. The novel immune system. Luncheon Seminar on the 8th International Symposium on Antiphospholipid Antibodies. Oct. 7, 1998, Sapporo, Japan

Taniguchi, M. V $\alpha$  14 NKT cells: ligand and function US-Japan and France-Japan Joint Meeting on Immunology. Nov. 5, 1998, Kobe, Japan

Taniguchi, M. Function of mammalian polycomb group gene, mel-18. 6th Italy-Japan Joint Workshop on Molecular Biology/Application of Molecular Biology to the Study of Development and of Environment. July 4, 1997, Oristano, Italy

Kawano, T., Sato, H., Cui, J., Koseki, H. and Taniguchi, M. Ligand for invariant V $\alpha$  14 TCR expressed on V $\alpha$  14 NKT cells. International Union of Biochemistry and Molecular Biology. Satellite Symposium '97. Aug. 22, 1997, Napa Valley, USA

Taniguchi, M. V $\alpha$  14 NKT cells. 5th International Workshop on Tolerance and Immune Regulation, Sept. 12, 1997, San Diego, USA

Koseki, H. Molecular cloning of a possible downstream gene for PAX-1 protein. Meeting on Somite Development. Oct 5-9, 1997, Les Embiez, France

Taniguchi, M. V $\alpha$  14 NKT cell. "Activation, Differentiation and Repertoire Selection of Immune System"/German-Japanese Immunology Meeting. Oct. 26, 1997, Toyako, Hokkaido

(3) 特許出願（国内 件、海外 1 件）

- ① 国内
- ② 海外

谷口 克、唐沢美香、「アンチセンス型ジーントラップベクター」

PCT/JP00/05824, 2000 年 8 月 29 日

(4) 新聞報道等

- ① 新聞報道

平成 9 年 12 月 3 日	朝日新聞
平成 9 年 11 月 28 日	産経新聞
平成 10 年 9 月 10 日	読売新聞
平成 13 年 9 月 5 日	日刊工業新聞

(5) その他特記事項

なし